

Package ‘rmongodb’

March 7, 2012

Type Package

Title R-MongoDB driver

Version 1.0.3

Date 2012-3-5

Author Gerald Lindsly & 10gen, Inc. (mongo-c-driver)

Maintainer Gerald Lindsly <gerald.lindsly@gmail.com>

Description Provides an interface to MongoDB for R

License Apache License 2.0

LazyLoad yes

Archs i386, x64

R topics documented:

rmongodb-package	5
as.character.mongo.oid	5
mongo	6
mongo.add.user	7
mongo.authenticate	8
mongo.binary.binary	8
mongo.binary.function	9
mongo.binary.md5	9
mongo.binary.old	10
mongo.binary.user	10
mongo.binary.uuid	11
mongo.bson	11
mongo.bson.array	12
mongo.bson.binary	12
mongo.bson.bool	13
mongo.bson.buffer	13
mongo.bson.buffer.append	14
mongo.bson.buffer.append.bool	15
mongo.bson.buffer.append.bson	16
mongo.bson.buffer.append.code	17

mongo.bson.buffer.append.code.w.scope	18
mongo.bson.buffer.append.complex	19
mongo.bson.buffer.append.double	20
mongo.bson.buffer.append.element	22
mongo.bson.buffer.append.int	23
mongo.bson.buffer.append.list	24
mongo.bson.buffer.append.long	25
mongo.bson.buffer.append.null	26
mongo.bson.buffer.append.object	27
mongo.bson.buffer.append.oid	28
mongo.bson.buffer.append.raw	29
mongo.bson.buffer.append.regex	30
mongo.bson.buffer.append.string	31
mongo.bson.buffer.append.symbol	32
mongo.bson.buffer.append.time	33
mongo.bson.buffer.append.timestamp	34
mongo.bson.buffer.append.undefined	35
mongo.bson.buffer.create	36
mongo.bson.buffer.finish.object	36
mongo.bson.buffer.size	37
mongo.bson.buffer.start.array	38
mongo.bson.buffer.start.object	39
mongo.bson.code	40
mongo.bson.code.w.scope	40
mongo.bson.date	41
mongo.bson.dbref	41
mongo.bson.destroy	42
mongo.bson.double	42
mongo.bson.empty	43
mongo.bson.eoo	43
mongo.bson.find	44
mongo.bson.from.buffer	45
mongo.bson.from.list	45
mongo.bson.int	46
mongo.bson.iterator	47
mongo.bson.iterator.create	47
mongo.bson.iterator.key	48
mongo.bson.iterator.next	49
mongo.bson.iterator.type	51
mongo.bson.iterator.value	52
mongo.bson.long	54
mongo.bson.null	54
mongo.bson.object	55
mongo.bson.oid	55
mongo.bson.print	56
mongo.bson.regex	56
mongo.bson.size	57
mongo.bson.string	58
mongo.bson.symbol	58
mongo.bson.timestamp	59
mongo.bson.to.list	59
mongo.bson.undefined	61

mongo.bson.value	61
mongo.code	63
mongo.code.create	64
mongo.code.w.scope	65
mongo.code.w.scope.create	65
mongo.command	66
mongo.count	68
mongo.create	69
mongo.cursor	70
mongo.cursor.destroy	71
mongo.cursor.next	72
mongo.cursor.value	73
mongo.destroy	74
mongo.disconnect	74
mongo.distinct	75
mongo.drop	76
mongo.drop.database	77
mongo.find	77
mongo.find.await.data	79
mongo.find.cursor.tailable	79
mongo.find.exhaust	80
mongo.find.no.cursor.timeout	80
mongo.find.one	81
mongo.find.oplog.replay	82
mongo.find.partial.results	83
mongo.find.slave.ok	83
mongo.get.database.collections	83
mongo.get.databases	84
mongo.get.err	85
mongo.get.hosts	86
mongo.get.last.err	86
mongo.get.prev.err	88
mongo.get.primary	89
mongo.get.server.err	90
mongo.get.server.err.string	91
mongo.get.socket	92
mongo.get.timeout	92
mongo.gridfile	93
mongo.gridfile.destroy	94
mongo.gridfile.get.chunk	95
mongo.gridfile.get.chunk.count	96
mongo.gridfile.get.chunk.size	97
mongo.gridfile.get.chunks	98
mongo.gridfile.get.content.type	99
mongo.gridfile.get.descriptor	100
mongo.gridfile.get.filename	101
mongo.gridfile.get.length	102
mongo.gridfile.get.md5	103
mongo.gridfile.get.metadata	104
mongo.gridfile.get.upload.date	105
mongo.gridfile.pipe	106
mongo.gridfile.read	107

mongo.gridfile.seek	109
mongo.gridfile.writer	110
mongo.gridfile.writer.create	111
mongo.gridfile.writer.finish	112
mongo.gridfile.writer.write	113
mongo.gridfs	114
mongo.gridfs.create	115
mongo.gridfs.destroy	116
mongo.gridfs.find	116
mongo.gridfs.remove.file	117
mongo.gridfs.store	118
mongo.gridfs.store.file	119
mongo.index.background	120
mongo.index.create	120
mongo.index.drop.dups	122
mongo.index.sparse	122
mongo.index.unique	122
mongo.insert	123
mongo.insert.batch	124
mongo.is.connected	125
mongo.is.master	125
mongo.oid	126
mongo.oid.create	127
mongo.oid.from.string	128
mongo.oid.print	129
mongo.oid.time	129
mongo.oid.to.string	130
mongo.reconnect	131
mongo.regex	132
mongo.regex.create	132
mongo.remove	133
mongo.rename	134
mongo.reset.err	135
mongo.set.timeout	136
mongo.shorthand	137
mongo.simple.command	137
mongo.symbol	138
mongo.symbol.create	139
mongo.timestamp	140
mongo.timestamp.create	141
mongo.undefined	142
mongo.undefined.create	142
mongo.update	143
mongo.update.basic	144
mongo.update.multi	145
mongo.update.upsert	145
print.mongo.bson	146
print.mongo.oid	147

rmongodb-package *R-MongoDB driver*

Description

Provides an interface to MongoDB for R

Details

Package: rmongodb
Type: Package
Version: 1.0.3
Date: 2012-3-5
License: Apache License 2.0
LazyLoad: yes

Overview

Author(s)

Gerald Lindsly & 10gen, Inc. (mongo-c-driver)
Maintainer: Gerald Lindsly gerald.lindsly@gmail.com

References

<http://www.mongodb.org>

See Also

[mongo](#)

as.character.mongo.oid

Convert a mongo.oid object to a string

Description

Convert a [mongo.oid](#) object to a string of 24 hex digits. This performs the inverse operation of [mongo.oid.from.string\(\)](#).

This function is an alias of [mongo.oid.to.string\(\)](#) so that the class mechanism of R allows it to be called simply by `as.character(oid)`.

See <http://www.mongodb.org/display/DOCS/Object+IDs>

Usage

```
## S3 method for class 'mongo.oid'  
as.character(x, ...)
```

Arguments

x (mongo.oid) The OID to be converted.
... Parameters passed from generic.

Value

(string) A string of 24 hex digits representing the bits of oid x.

See Also

[mongo.oid](#),
[mongo.oid.create](#),
[as.character.mongo.oid](#),
[mongo.oid.to.string](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.oid](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
oid <- mongo.oid.create()
print(as.character.mongo.oid(oid))
print(as.character(oid)) # print same thing as above line
```

mongo

The mongo (database connection) class

Description

Objects of class "mongo" are used to connect to a MongoDB server and to perform database operations on that server.

mongo objects have "mongo" as their class and contain an externally managed pointer to the connection data. This pointer is stored in the "mongo" attribute of the object.

Note that the members of the mongo object only reflect the initial parameters of [mongo.create\(\)](#). Only the external data actually changes if, for example, [mongo.timeout](#) is called after the initial call to [mongo.create](#).

See Also

[mongo.create](#),
[mongo.is.connected](#),
[mongo.get.databases](#),
[mongo.get.database.collections](#),
[mongo.insert](#),
[mongo.find.one](#),
[mongo.find](#),
[mongo.update](#),
[mongo.remove](#),
[mongo.drop](#),
[mongo.drop.database](#)
[mongo.gridfs](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "Joe")
  mongo.bson.buffer.append(buf, "age", 22L)
  b <- mongo.bson.from.buffer(buf)
  mongo.insert(mongo, "test.people", b)
}
```

mongo.add.user	<i>Add a user and password</i>
----------------	--------------------------------

Description

Add a user and password to the given database on a MongoDB server for authentication purposes.

See <http://www.mongodb.org/display/DOCS/Security+and+Authentication>.

Usage

```
mongo.add.user(mongo, username, password, db="admin")
```

Arguments

mongo	(mongo) a mongo connection object.
username	(string) username to add.
password	(string) password corresponding to username.
db	(string) The database on the server to which to add the username and password.

See Also

[mongo.authenticate](#),
[mongo](#),
[mongo.create](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo))
  mongo.add.user(mongo, "Jeff", "H87b5dog")
```

mongo.authenticate *Autherticate a user and password*

Description

Autherticate a user and password against a given database on a MongoDB server.

See <http://www.mongodb.org/display/DOCS/Security+and+Authentication>.

Note that `mongo.create()` can authenticate a username and password before returning a connected mongo object.

Usage

```
mongo.authenticate(mongo, username, password, db="admin")
```

Arguments

mongo	(mongo) a mongo connection object.
username	(string) username to authenticate.
password	(string) password corresponding to username.
db	(string) The database on the server against which to validate the username and password.

See Also

[mongo.add.user](#),
[mongo](#),
[mongo.create](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo))
  mongo.authenticate(mongo, "Joe", "ZxYaBc217")
```

mongo.binary.binary *BSON binary data subtype constant for standard binary data*

Description

BSON binary data subtype constant for standard binary data.

Usage

```
mongo.binary.binary
```

Value

0L

See Also

[mongo.bson.buffer.append.raw](#),
[mongo.bson](#).

mongo.binary.function *BSON binary data subtype constant for function data*

Description

BSON binary data subtype constant for function data.

Usage

mongo.binary.function

Value

1L

See Also

[mongo.bson.buffer.append.raw](#),
[mongo.bson](#).

mongo.binary.md5 *BSON binary data subtype constant for md5 data*

Description

BSON binary data subtype constant for md5 data.

Usage

mongo.binary.md5

Value

5L

See Also

[mongo.bson.buffer.append.raw](#),
[mongo.bson](#).

mongo.binary.old	<i>BSON binary data subtype constant for old format data</i>
------------------	--

Description

BSON binary data subtype constant for old format data (deprecated).

Usage

mongo.binary.old

Value

2L

See Also

[mongo.bson.buffer.append.raw](#),
[mongo.bson](#).

mongo.binary.user	<i>BSON binary data subtype constant for user data</i>
-------------------	--

Description

BSON binary data subtype constant for user data.

Usage

mongo.binary.user

Value

128L

See Also

[mongo.bson.buffer.append.raw](#),
[mongo.bson](#).

mongo.binary.uuid	<i>BSON binary data subtype constant for uuid data</i>
-------------------	--

Description

BSON binary data subtype constant for uuid data.

Usage

```
mongo.binary.uuid
```

Value

4L

See Also

[mongo.bson.buffer.append.raw](#),
[mongo.bson](#).

mongo.bson	<i>The mongo.bson class</i>
------------	-----------------------------

Description

Objects of class "mongo.bson" are used to store BSON documents. BSON is the form that MongoDB uses to store documents in its database. MongoDB network traffic also uses BSON in messages.

See <http://www.mongodb.org/display/DOCS/BSON>.

mongo.bson objects have "mongo.bson" as their class and contain an externally managed pointer to the actual document data. This pointer is stored in the "mongo.bson" attribute of the object.

Objects of class "[mongo.bson.iterator](#)" are used to iterate over a mongo.bson object to enumerate its keys and values.

Objects of class "[mongo.bson.buffer](#)" are used to build BSON documents.

See Also

[mongo.bson.from.list](#),
[mongo.bson.to.list](#),
[mongo.bson.iterator](#),
[mongo.bson.buffer](#),
[mongo.bson.from.buffer](#),
[mongo.bson.empty](#),
[mongo.find.one](#),
[mongo.bson.destroy](#), [link{mongo.shorthand}](#).

Examples

```
b <- mongo.bson.from.list(list(name="Fred", age=29, city="Boston"))
iter <- mongo.bson.iterator.create(b) # b is of class "mongo.bson"
while (mongo.bson.iterator.next(iter))
  print(mongo.bson.iterator.value(iter))
```

mongo.bson.array *BSON data type constant for an array*

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (4L) to indicate that the value pointer to by an iterator is an array (containing child values).

Usage

```
mongo.bson.array
```

Value

4L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson.iterator](#),
[mongo.bson](#).

mongo.bson.binary *BSON data type constant for a binary data value*

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (5L) to indicate that the value pointer to by an iterator is binary data.

Usage

```
mongo.bson.binary
```

Value

5L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson.iterator](#),
[mongo.bson](#).

mongo.bson.bool	<i>BSON data type constant for a bool value</i>
-----------------	---

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (8L) to indicate that the value pointer to by an iterator is a bool.

Usage

```
mongo.bson.bool
```

Value

8L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson.iterator](#),
[mongo.bson](#).

mongo.bson.buffer	<i>The mongo.bson.buffer class</i>
-------------------	------------------------------------

Description

Objects of class "mongo.bson.buffer" are used to build BSON documents ([mongo.bson](#) objects).

There are many functions for appending data into a mongo.bson.buffer object. See [mongo.bson.buffer.append\(\)](#) for a list of those functions.

After constructing your object in the buffer, [mongo.bson.from.buffer\(\)](#) may be used to turn the buffer into a mongo.bson object.

mongo.bson.buffer objects have "mongo.bson.buffer" as their class and contain an externally managed pointer to the actual document data buffer. This pointer is stored in the "mongo.bson.buffer" attribute of the object.

See Also

[mongo.bson](#),
[mongo.bson.buffer.size](#),
[mongo.bson.from.buffer](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.start.object](#),
[mongo.bson.buffer.start.array](#),
[mongo.bson.buffer.finish.object](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "make", "Ford")
mongo.bson.buffer.append(buf, "model", "Mustang")
mongo.bson.buffer.append.int(buf, "year", 1968)
b <- mongo.bson.from.buffer(buf)
```

mongo.bson.buffer.append

Append a name/value pair into a mongo.bson.buffer

Description

Append a name/value pair into a [mongo.bson.buffer](#).

This function is a generic version of many 'append' functions. It will detect the type of the value parameter and perform the same action as the specific functions. These functions are:

- [mongo.bson.buffer.append.int\(\)](#)
- [mongo.bson.buffer.append.string\(\)](#)
- [mongo.bson.buffer.append.bool\(\)](#)
- [mongo.bson.buffer.append.double\(\)](#)
- [mongo.bson.buffer.append.complex\(\)](#)
- [mongo.bson.buffer.append.null\(\)](#)
- [mongo.bson.buffer.append.undefined\(\)](#)
- [mongo.bson.buffer.append.symbol\(\)](#)
- [mongo.bson.buffer.append.code\(\)](#)
- [mongo.bson.buffer.append.code.w.scope\(\)](#)
- [mongo.bson.buffer.append.raw\(\)](#)
- [mongo.bson.buffer.append.time\(\)](#)
- [mongo.bson.buffer.append.timestamp\(\)](#)
- [mongo.bson.buffer.append.regex\(\)](#)
- [mongo.bson.buffer.append.oid\(\)](#)
- [mongo.bson.buffer.append.bson\(\)](#)
- [mongo.bson.buffer.append.element\(\)](#)
- [mongo.bson.buffer.append.list\(\)](#)

[mongo.bson.buffer.append.long\(\)](#) is missing from the above list since R has no 64-bit long integer type. If you wish a value to be stored in the BSON data as a long you must explicitly call that function.

All of the above functions will lose the attributes of the object other than "names". When vectors of length > 1 are appended, "names" are preserved.

[mongo.bson.buffer.append.object\(\)](#) gets around this shortcoming and allows most R objects to be stored in a database without loss of attributes.

Usage

```
mongo.bson.buffer.append(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	The value of the field.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#).

Examples

```
buf <- mongo.bson.buffer.create()
# Append a string
mongo.bson.buffer.append(buf, "name", "Joe")
# Append a date/time
mongo.bson.buffer.append(buf, "created", Sys.time())
# Append a NULL
mongo.bson.buffer.append(buf, "cars", NULL)
b <- mongo.bson.from.buffer(buf)
```

```
mongo.bson.buffer.append.bool
```

Append a boolean field onto a mongo.bson.buffer

Description

Append an logical (boolean) or vector of logical values onto a [mongo.bson.buffer](#).

Usage

```
mongo.bson.buffer.append.bool(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	(logical vector) the booleans(s) to append to the buffer. If value has a dims attribute of length > 1, any names or dimnames attribute is ignored and a nested array is appended. (Use mongo.bson.buffer.append.object() if you want to preserve dimnames). If value has a names attribute, a subobject is appended and the subfields are given the indicated names.

Otherwise, if more than one element is present in value, the booleans are appended as a subarray.

In the last case, a single as.boolean is appended as the value of the field.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.bool(buf, "wise", TRUE)
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form { "wise" : true }

buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.bool(buf, "bools", c(TRUE, FALSE, FALSE))
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "bools" : [true, false, false] }

buf <- mongo.bson.buffer.create()
flags <- c(FALSE, FALSE, TRUE)
names(flags) <- c("Tall", "Fat", "Pretty")
mongo.bson.buffer.append.bool(buf, "Looks", flags)
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "Looks" : { "Tall" : false, "Fat" : false, "Pretty" : true } }
```

mongo.bson.buffer.append.bson

Append a mongo.bson object into a mongo.bson.buffer

Description

Append a [mongo.bson](#) object into a [mongo.bson.buffer](#) as a subobject.

Note that [mongo.bson.buffer.append\(\)](#) will detect if its value parameter is a mongo.bson object and perform the same action as this function.

Usage

```
mongo.bson.buffer.append.bson(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the subobject field appended to the buffer.
value	(mongo.bson) a mongo.bson object.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.from.list](#),
[mongo.bson.buffer.append](#).

Examples

```
name <- mongo.bson.from.list(list(first="Joe", last="Smith"))
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.bson(buf, "name", name)
mongo.bson.buffer.append.string(buf, "city", "New York")
b <- mongo.bson.from.buffer(buf)

# the above will create a mongo.bson object of the following form:
# { "name" : { "first" : "Joe", "last" : "Smith" }, "city" : "New York" }
```

```
mongo.bson.buffer.append.code
```

Append a code field onto a mongo.bson.buffer

Description

Append a javascript code value onto a [mongo.bson.buffer](#).

BSON has a special field type to indicate javascript code. This function appends such an indicator as the type of a field with its value.

Usage

```
mongo.bson.buffer.append.code(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	stringThe javascript code. Note that the value may simply be a string of javascript and not necessarily a mongo.code object.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.code](#),
[mongo.code.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson](#),
[mongo.bson.buffer](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.code(buf, "SetXtoY", "x = y")
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "SetXtoY" : (CODE) "x = y" }

# The same result can be produced by the following code:
buf <- mongo.bson.buffer.create()
code <- mongo.code.create("x = y")
mongo.bson.buffer.append(buf, "SetXtoY", code)
b <- mongo.bson.from.buffer(buf)
```

```
mongo.bson.buffer.append.code.w.scope
```

Append a code field with a scope onto a mongo.bson.buffer

Description

Append a javascript code value with a scope object onto a [mongo.bson.buffer](#).

BSON has a special field type to indicate javascript code with a scope. This function appends such an indicator as the type of a field with its value.

Usage

```
mongo.bson.buffer.append.code.w.scope(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	mongo.code.w.scope The scoped javascript code.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.code.w.scope](#),
[mongo.code.w.scope.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson.from.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```

scope <- mongo.bson.from.list(list(scopevar="scopevalue"))
buf <- mongo.bson.buffer.create()
codeWscope <- mongo.code.w.scope.create("y = x", scope)
mongo.bson.buffer.append.code.w.scope(buf, "CodeWscope1",
  codeWscope)

# mongo.bson.buffer.append() will give the same result
# as it can detect the mongo.code.w.scope object
mongo.bson.buffer.append(buf, "CodeWscope2", codeWscope)

b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "CodeWscope1" : (CODEWSCOPE) "y = x"
#   (SCOPE) { "scopevar" : "scopevalue" },
#   "CodeWscope2" : (CODEWSCOPE) "y = x"
#   (SCOPE) { "scopevar" : "scopevalue" } }

```

```
mongo.bson.buffer.append.complex
```

Append a double field onto a mongo.bson.buffer

Description

Append a double or vector of doubles onto a [mongo.bson.buffer](#).

Note that since BSON has no built-in complex type, R's complex values are appended as subobjects with two fields: "r" : the real part and "i" : the imaginary part.

Usage

```
mongo.bson.buffer.append.complex(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	(complex vector) The value(s) to append to the buffer. If value has a <code>dims</code> attribute of length > 1, any <code>names</code> or <code>dimnames</code> attribute is ignored and a nested array is appended. (Use mongo.bson.buffer.append.object() if you want to preserve <code>dimnames</code>).

If value has a names attribute, a subobject is appended and the subfields are given the indicated names.

Otherwise, if more than one element is present in value, the values are appended as a subarray.

In the last case, a single complex is appended as the value of the field.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.complex(buf, "Alpha", 3.14159 + 2i)
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "Alpha" : { "r" : 3.14159, "i" : 2 } }

buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.complex(buf, "complexi", c(1.7 + 2.1i, 97.2))
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "complexi" : [ { "r": 1.7, i : 2.1}, { "r": 97.2, "i" : 0} ] }

buf <- mongo.bson.buffer.create()
values <- c(0.5 + 0.1i, 0.25)
names(values) <- c("Theta", "Epsilon")
mongo.bson.buffer.append.complex(buf, "Values", values)
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "Values" : { "Theta" : { "r" : 0.5, "i" : 0.1 },
#               "Epsilon" : { "r" : 0.25, "i" : 0 } } }
```

```
mongo.bson.buffer.append.double
```

Append a double field onto a mongo.bson.buffer

Description

Append a double or vector of doubles onto a [mongo.bson.buffer](#).

Usage

```
mongo.bson.buffer.append.double(buf, name, value)
```

Arguments

buf ([mongo.bson.buffer](#)) The buffer object to which to append.

name (string) The name (key) of the field appended to the buffer.

value (double vector) The values(s) to append to the buffer.
 If value has a `dims` attribute of length > 1, any `names` or `dimnames` attribute is ignored and a nested array is appended.
 (Use [mongo.bson.buffer.append.object\(\)](#) if you want to preserve `dimnames`).
 If value has a `names` attribute, a subobject is appended and the subfields are given the indicated names.
 Otherwise, if more than one element is present in value, the values are appended as a subarray.
 In the last case, a single `as.double` is appended as the value of the field.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.double(buf, "YearSeconds",
  365.24219 * 24 * 60 * 60)
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "YearSeconds" : 31556925.2 }

buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.double(buf, "dbls",
  c(1.7, 87654321.123, 12345678.321))
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "dbls" : [1.7, 87654321.123, 12345678.321] }

buf <- mongo.bson.buffer.create()
fractions <- c(0.5, 0.25, 0.333333)
names(fractions) <- c("Half", "Quarter", "Third")
mongo.bson.buffer.append.double(buf, "Fractions", fractions)
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "Fractions" : { "Half"      : 0.5,
#                  "Quarter"   : 0.25,
#                  "Third"     : 0.333333 } }
```

`mongo.bson.buffer.append.element`*Append a mongo.bson.iterator's element into a mongo.bson.buffer*

Description

Append a `mongo.bson.iterator`'s element into a `mongo.bson.buffer`.

`mongo.bson.buffer.append()` will detect if its value parameter is a `mongo.bson.iterator` object and perform the same action as this function.

Usage

```
mongo.bson.buffer.append.element(buf, name, value)
```

Arguments

<code>buf</code>	(<code>mongo.bson.buffer</code>) The buffer object to which to append.
<code>name</code>	(string) The name (key) of the subobject field appended to the buffer. If NULL, the name appended will come from the element pointed to by the iterator.
<code>value</code>	A (<code>mongo.bson.iterator</code>) object.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.find](#),
[mongo.bson.from.list](#),
[mongo.bson.buffer.append](#).

Examples

```
name <- mongo.bson.from.list(list(first="Joe", last="Smith"))
iter <- mongo.bson.find(name, "last")
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.element(buf, "last", iter)
b <- mongo.bson.from.buffer(buf)

# the above will create a mongo.bson object (b) of the following form:
# { "last" : "Smith" }
```

```
mongo.bson.buffer.append.int
```

Append an integer field onto a mongo.bson.buffer

Description

Append an integer or vector of integers onto a [mongo.bson.buffer](#).

Usage

```
mongo.bson.buffer.append.int(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	(integer vector) The integer(s) to append to the buffer. If value has a <code>dims</code> attribute of length > 1, any <code>names</code> or <code>dimnames</code> attribute is ignored and a nested array is appended. (Use mongo.bson.buffer.append.object() if you want to preserve <code>dimnames</code>). If value has a <code>names</code> attribute, a subobject is appended and the subfields are given the indicated names. Otherwise, if more than one element is present in value it must be a vector of integers and the integers are appended as a subarray. In the last case, the single value must be coercible to an integer.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.int(buf, "age", 23L)
b <- mongo.bson.from.buffer(buf)

# the above produces a BSON object of the form { "age" : 21 }

buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.int(buf, "ages", c(21L, 19L, 13L))
b <- mongo.bson.from.buffer(buf)

# the above produces a BSON object of the form { "ages" : [21, 19, 13] }

buf <- mongo.bson.buffer.create()
```

```
dim <- c(2L, 4L, 8L)
names(dim) <- c("width", "height", "length")
mongo.bson.buffer.append.int(buf, "board", dim)
b <- mongo.bson.from.buffer(buf)

# theabove produces a BSON object of the form:
# { "board" : { "width" : 2, "height" : 4, "length" : 8 } }
```

mongo.bson.buffer.append.list

Append a list onto a mongo.bson.buffer

Description

Append a list onto a [mongo.bson.buffer](#).

Note that the value parameter must be a true list, not an vector of a single atomic type.

Also note that this function is recursive and will append items that are lists themselves as subobjects.

Usage

```
mongo.bson.buffer.append.list(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	(list) The list to append to the buffer as a subobject.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
l <- list(fruit = "apple", hasSeeds = TRUE)
mongo.bson.buffer.append.list(buf, "item", l)
b <- mongo.bson.from.buffer(buf)

# this produces a BSON object of the form:
# { "item" : { "fruit" : "apple", "hasSeeds" : true } }
```

`mongo.bson.buffer.append.long`*Append a long valued field onto a mongo.bson.buffer*

Description

Append a long value or vector of longs onto a [mongo.bson.buffer](#).

Note that since R has no long (64-bit integer) type, doubles are used in R, but are converted to 64-bit values when stored in the buffer; some loss of precision may occur.

This is the only case in which `mongo.bson.buffer.append()` cannot make the proper guess about what type to encode into the buffer.

You must call `mongo.bson.buffer.append.long()` explicitly; otherwise, doubles are appended.

Usage

```
mongo.bson.buffer.append.long(buf, name, value)
```

Arguments

<code>buf</code>	(mongo.bson.buffer) The buffer object to which to append.
<code>name</code>	(string) The name (key) of the field appended to the buffer.
<code>value</code>	(double vector) The values(s) to append to the buffer. If <code>value</code> has a <code>dims</code> attribute of length > 1, any <code>names</code> or <code>dimnames</code> attribute is ignored and a nested array is appended. (Use mongo.bson.buffer.append.object() if you want to preserve <code>dimnames</code> ; however, this can't append <code>value</code> as longs). If <code>value</code> has a <code>names</code> attribute, a subobject is appended and the subfields are given the indicated names. Otherwise, if more than one element is present in <code>value</code> , the values are appended as a subarray. In the last case, a single long is appended as the value of the field.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.long(buf, "YearSeconds",
  365.24219 * 24 * 60 * 60)
b <- mongo.bson.from.buffer(buf)
```

```

# The above produces a BSON object of the form:
# { "YearSeconds" : 31556925 }

buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.long(buf, "longs",
  c(1, 9087654321, 1234567809))
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "longs" : [1, 9087654321, 1234567809] }

buf <- mongo.bson.buffer.create()
distances <- c(473, 133871000, 188178313)
names(distances) <- c("Sol", "Proxima Centari", "Bernard's Star")
mongo.bson.buffer.append.long(buf, "Stars", distances)
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "Stars" : { "Sol" : 474,
#               "Proxima Centari" : 133871000,
#               "Bernard's Star" : 188178313 } }

```

```
mongo.bson.buffer.append.null
```

Append a double field onto a mongo.bson.buffer

Description

Append a NULL value onto a [mongo.bson.buffer](#).

Usage

```
mongo.bson.buffer.append.null(buf, name)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.null(buf, "Nil")
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form { "Nil" : NULL }
```

```
mongo.bson.buffer.append.object
```

Append an R object onto a mongo.bson.buffer

Description

Append an R object onto a [mongo.bson.buffer](#).

This function allows you to store higher level R objects in the database without losing their attribute information. It will correctly handle data frames, matrices and arrays for instance; although, empty objects, such as a data frame with no rows, are not permitted.

Note that the names attribute will not be preserved if the object is multidimensional (although dimnames will be).

The object's value will look like this in the buffer:

```
{
  ...
  name : {
    R_OBJ : true,
    value : xxx,
    attr : {
      attr1 : yyy,
      attr2 : zzz
    }
  }
  ...
}
```

name will be substituted with the value of the name parameter.

xxx will be substituted with the low level value of the object (as would be appended by [mongo.bson.buffer.append\(\)](#)).

attr1 and attr2 will be substituted with the names of attributes.

yyy and zzz will be substituted with the values of those attributes.

Note that it is inadvised to construct this wrapper manually as [mongo.bson.value\(\)](#) and [mongo.bson.iterator.value\(\)](#) bypass the special checking and handling that is done by R code that set attributes.

Usage

```
mongo.bson.buffer.append.object(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	(object) The object to append to the buffer as a subobject.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#),
[mongo.bson.value](#),
[mongo.bson.iterator.value](#)

Examples

```
age <- c(5, 8)
height <- c(35, 47)
d <- data.frame(age=age, height=height)
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.object(buf, "table", d)
b <- mongo.bson.from.buffer(buf)

# this produces a BSON object of the form:
# { "table" : { "R_OBJ" : true,
#             "value" : {
#                 "age" : [ 5, 8 ],
#                 "height" : [35, 47 ]
#             },
#       "attr" : {
#         "row.names" : [ -2147483648, -2 ],
#         "class" : "data.frame"
#       }
# }
# row.names is stored in the compact form used for integer row names.
```

mongo.bson.buffer.append.oid

Append a OID into a mongo.bson.buffer

Description

Append a OID (Object ID) value into a [mongo.bson.buffer](#).

Usage

```
mongo.bson.buffer.append.oid(buf, name, value)
```

Arguments

buf ([mongo.bson.buffer](#)) The buffer object to which to append.
name (string) The name (key) of the field appended to the buffer.
value ([mongo.oid](#)) An OID value.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.oid.create](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.oid(buf, "Now", mongo.oid.create())
b <- mongo.bson.from.buffer(buf)
```

mongo.bson.buffer.append.raw

Append a raw (binary) field onto a mongo.bson.buffer

Description

Append raw (binary) data onto a [mongo.bson.buffer](#).

BSON has a special field type to indicate binary data. This function appends such an indicator as the type of a field with its value.

If value has a `dims` attribute of length > 1, any `names` or `dimnames` attribute is ignored and a nested array is appended.

(Use [mongo.bson.buffer.append.object\(\)](#) if you want to preserve `dimnames`).

Usage

```
mongo.bson.buffer.append.raw(buf, name, value, subtype=NULL)
```

Arguments

<code>buf</code>	(mongo.bson.buffer) The buffer object to which to append.
<code>name</code>	(string) The name (key) of the field appended to the buffer.
<code>value</code>	(raw) the binary data.
<code>subtype</code>	(as.integer) The binary data subtype. If <code>subtype == NULL</code> , the "subtype" attribute of the raw is used. If this is not present, <code>mongo.binary.binary</code> is used. The following constants are defined: <ul style="list-style-type: none"> • mongo.binary.binary (0L) • mongo.binary.function (1L) • mongo.binary.old (2L) • mongo.binary.uuid (3L) • mongo.binary.md5 (5L) • mongo.binary.user (128L)

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson.buffer.append](#),
[mongo.bson](#),
[mongo.bson.buffer](#).

Examples

```
buf <- mongo.bson.buffer.create()
bin <- raw(3)
for (i in 0:2)
  bin[i] <- as.raw(i * 3)
mongo.bson.buffer.append.raw(buf, "bin1", bin)

# Note that mongo.bson.buffer.append()
# will detect whether the value parameter
# is a raw object and append the appropriate value.

mongo.bson.buffer.append(buf, "bin2", bin) # gives same result
```

```
mongo.bson.buffer.append.regex
```

Append a timestamp value into a mongo.bson.buffer

Description

Append a regular expression value into a [mongo.bson.buffer](#).

Usage

```
mongo.bson.buffer.append.regex(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	(mongo.regex) A regular expression as created by mongo.regex.create() .

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.regex.create](#),
[mongo.bson.buffer.append.regex](#),
[mongo.bson.buffer.append](#),
[mongo.bson](#),
[mongo.bson.buffer](#).

Examples

```
buf <- mongo.bson.buffer.create()
regex <- mongo.regex.create("acme.*corp", options="i")
mongo.bson.buffer.append.regex(buf, "MatchAcme", regex)
b <- mongo.bson.from.buffer(buf)
```

```
mongo.bson.buffer.append.string
```

Append a string field onto a mongo.bson.buffer

Description

Append an string or vector of strings onto a [mongo.bson.buffer](#).

Usage

```
mongo.bson.buffer.append.string(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	(string vector) The strings(s) to append to the buffer. If value has a dims attribute of length > 1, any names or dimnames attribute is ignored and a nested array is appended. (Use mongo.bson.buffer.append.object() if you want to preserve dimnames). If value has a names attribute, a subobject is appended and the subfields are given the indicated names. Otherwise, if more than one element is present in value, the strings are appended as a subarray. In the last case, a single string is appended as the value of the field.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.string(buf, "name", "Joe")
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form { "name" : "Joe" }

buf <- mongo.bson.buffer.create()
```

```

mongo.bson.buffer.append.string(buf, "names", c("Fred", "Jeff", "John"))
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "names" : ["Fred", "Jeff", "John"] }

buf <- mongo.bson.buffer.create()
staff <- c("Mark", "Jennifer", "Robert")
names(staff) <- c("Chairman", "President", "Secretary")
mongo.bson.buffer.append.string(buf, "board", staff)
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "board" : { "Chairman" : "Mark",
#              "President" : "Jennifer",
#              "Secretary" : "Robert" } }

```

```
mongo.bson.buffer.append.symbol
```

Append a symbol field onto a mongo.bson.buffer

Description

Append a symbol value onto a [mongo.bson.buffer](#).

BSON has a special field type to indicate a symbol. This function appends such an indicator as the type of a field with its value.

Usage

```
mongo.bson.buffer.append.symbol(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	(string) The value of the symbol. Note that the value may simply be a string representing the symbol's value and not necessarily a mongo.symbol object.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.symbol](#),
[mongo.symbol.create](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.symbol(buf, "A", "Alpha")
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form { "A" : (SYMBOL) "Alpha" }

# The same result can be produced by the following code:
buf <- mongo.bson.buffer.create()
sym <- mongo.symbol.create("Alpha")
mongo.bson.buffer.append(buf, "A", sym)
b <- mongo.bson.from.buffer(buf)
```

```
mongo.bson.buffer.append.time
```

Append a time value into a mongo.bson.buffer

Description

Append a date/time value into a [mongo.bson.buffer](#).

BSON has a special field type to indicate a date/time; these are 64-bit values.

However, R has a 'standard' object of class "POSIXct" used to represent date/time values, such as that returned by Sys.time(). Internally these are a 32-bit integer number of milliseconds since midnight January 1, 1970. On January 19, 2038, 32-bit versions of the the Unix time stamp will cease to work, as it will overflow the largest value that can be held in a signed 32-bit number. At such time, many applications, including R and this driver, will need to address that issue.

Usage

```
mongo.bson.buffer.append.time(buf, name, time)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
time	(integer) A time value. This may also be an object of class "POSIXct", "POSIXlt" or "mongo.timestamp".

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.timestamp](#),
[mongo.timestamp.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.time(buf, "Now", Sys.time())
b <- mongo.bson.from.buffer(buf)
```

mongo.bson.buffer.append.timestamp

Append a timestamp value into a mongo.bson.buffer

Description

Append a timestamp value into a [mongo.bson.buffer](#).

[mongo.timestamp](#) objects extend the "POSIXct" class to include an attribute "increment".

See [mongo.bson.buffer.append.time\(\)](#).

Usage

```
mongo.bson.buffer.append.timestamp(buf, name, value)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the field appended to the buffer.
value	A (mongo.timestamp) value as created by mongo.timestamp.create() .

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.timestamp.create](#),
[mongo.bson.buffer.append.time](#),
[mongo.bson.buffer.append](#),
[mongo.bson](#),
[mongo.bson.buffer](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.timestamp(buf, "Now-27",
  mongo.timestamp.create(Sys.time(), 27))
b <- mongo.bson.from.buffer(buf)
```

`mongo.bson.buffer.append.undefined`*Append a undefined field onto a mongo.bson.buffer*

Description

Append a undefined value onto a [mongo.bson.buffer](#).

BSON has a special field type to indicate an undefined value. This function appends such an indicator as the value of a field.

Usage

```
mongo.bson.buffer.append.undefined(buf, name)
```

Arguments

<code>buf</code>	(mongo.bson.buffer) The buffer object to which to append.
<code>name</code>	(string) The name (key) of the field appended to the buffer.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.undefined](#),
[mongo.undefined.create](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append.undefined(buf, "Undef")
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form { "Undef" : UNDEFINED }

# The same result can be produced by the following code:
buf <- mongo.bson.buffer.create()
undef <- mongo.undefined.create()
mongo.bson.buffer.append(buf, "Undef", undef)
b <- mongo.bson.from.buffer(buf)
```

```
mongo.bson.buffer.create
```

Create an new mongo.bson.buffer object

Description

Returns a fresh mongo.bson.buffer object ready to have data appended onto it.
mongo.bson.buffer objects are used to build mongo.bson objects.

Usage

```
mongo.bson.buffer.create()
```

Value

A fresh [mongo.bson.buffer](#) object

See Also

[mongo.bson](#),
[mongo.bson.buffer](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "name", "Donna")
b <- mongo.bson.from.buffer(buf)
```

```
mongo.bson.buffer.finish.object
```

Finish a subobject or array within a mongo.bson.buffer

Description

BSON documents may themselves contain nested documents. Call this function to finish a subobject within a [mongo.bson.buffer](#).

[mongo.bson.buffer.start.object\(\)](#) and [mongo.bson.buffer.finish.object\(\)](#) may be called in a stackwise (LIFO) order to further nest documents.

This function must also be called to finish arrays.

Usage

```
mongo.bson.buffer.finish.object(buf)
```

Arguments

buf ([mongo.bson.buffer](#)) The buffer object on which to finish a subobject.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.start.object](#),
[mongo.bson.buffer.start.array](#),
[mongo.bson.buffer.append](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.start.object(buf, "name")
mongo.bson.buffer.append(buf, "first", "Jeff")
mongo.bson.buffer.append(buf, "last", "Davis")
mongo.bson.buffer.finish.object(buf)
mongo.bson.buffer.append(buf, "city", "Toronto")
b <- mongo.bson.from.buffer(buf)

# the above produces a BSON object of the form:
# { "name" : { "first" : "Jeff", "last" : "Davis" }, "city" : "Toronto" }
```

mongo.bson.buffer.size

Get the size of a mongo.bson.buffer object

Description

Get the number of bytes which would be taken up by the BSON data when the buffer is converted to a mongo.bson object with [mongo.bson.from.buffer\(\)](#).

Usage

```
mongo.bson.buffer.size(buf)
```

Arguments

buf ([mongo.bson.buffer](#)) the mongo.bson.buffer object to examine.

Value

(integer) the number of bytes which would be taken up by the BSON data with the buffer is converted to a mongo.bson object with [mongo.bson.from.buffer\(\)](#).

See Also

[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "name", "Fred")
mongo.bson.buffer.append(buf, "city", "Dayton")
# both should report 37
print(mongo.bson.buffer.size(buf))
y <- mongo.bson.from.buffer(buf)
print(mongo.bson.size(y))
```

mongo.bson.buffer.start.array

Start an array within a mongo.bson.buffer

Description

Call this function to start an array within a [mongo.bson.buffer](#). [mongo.bson.buffer.finish.object\(\)](#) must be called when finished appending the elements of the array.

([mongo.bson.buffer.start.object\(\)](#), [mongo.bson.buffer.start.array\(\)](#)) and [mongo.bson.buffer.finish.object\(\)](#) may be called in a stackwise (LIFO) order to further nest arrays and documents.

The names of the elements appended should properly be given sequentially numbered strings.

Note that arrays will be automatically appended by the 'append' functions when appending vectors (containing more than one element) of atomic types.

Usage

```
mongo.bson.buffer.start.array(buf, name)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the array to be appended to the buffer.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.finish.object](#),
[mongo.bson.buffer.start.array](#),
[mongo.bson.buffer.append](#).

Examples

```

buf <- mongo.bson.buffer.create()
mongo.bson.buffer.start.array(buf, "Fibonacci")
x <- 0
mongo.bson.buffer.append.int(buf, "0", x)
y <- 1
mongo.bson.buffer.append.int(buf, "1", y)
for (i in 2:8) {
  z <- x + y
  mongo.bson.buffer.append.int(buf, as.character(i), z)
  x <- y
  y <- z
}
mongo.bson.buffer.finish.object(buf)
b <- mongo.bson.from.buffer(buf)

# the above produces a BSON object of the form:
# { "Fibonacci" : [ 0, 1, 1, 2, 3, 5, 8, 13, 21 ] }

```

mongo.bson.buffer.start.object

Start a subobject within a mongo.bson.buffer

Description

BSON documents may themselves contain nested documents. Call this function to start a subobject within a [mongo.bson.buffer](#).

[mongo.bson.buffer.finish.object\(\)](#) must be called when finished appending subfields. ([mongo.bson.buffer.start.object\(\)](#), [mongo.bson.buffer.start.array\(\)](#)) and [mongo.bson.buffer.finish.object\(\)](#) may be called in a stackwise (LIFO) order to further nest documents and arrays.

Usage

```
mongo.bson.buffer.start.object(buf, name)
```

Arguments

buf	(mongo.bson.buffer) The buffer object to which to append.
name	(string) The name (key) of the subobject to be appended to the buffer.

Value

TRUE if successful; otherwise, FALSE if an error occurred appending the data.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.finish.object](#),
[mongo.bson.buffer.start.array](#),
[mongo.bson.buffer.append](#).

Examples

```

buf <- mongo.bson.buffer.create()
mongo.bson.buffer.start.object(buf, "name")
mongo.bson.buffer.append(buf, "first", "Jeff")
mongo.bson.buffer.append(buf, "last", "Davis")
mongo.bson.buffer.finish.object(buf)
mongo.bson.buffer.append(buf, "city", "Toronto")
b <- mongo.bson.from.buffer(buf)

# the above produces a BSON object of the form:
# { "name" : { "first" : "Jeff", "last" : "Davis" }, "city" : "Toronto" }

```

mongo.bson.code	<i>BSON data type constant for a code value</i>
-----------------	---

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (13L) to indicate that the value pointer to by an iterator is javascript code.

Usage

```
mongo.bson.code
```

Value

13L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.code.w.scope	<i>BSON data type constant for a code with scope value</i>
-------------------------	--

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (15L) to indicate that the value pointer to by an iterator is a javascript with a scope.

Usage

```
mongo.bson.code.w.scope
```

Value

15L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#)

mongo.bson.date	<i>BSON data type constant for a date value</i>
-----------------	---

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (9L) to indicate that the value pointer to by an iterator is a date/time.

Usage

mongo.bson.date

Value

9L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.dbref	<i>BSON data type constant for a dbref value</i>
------------------	--

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (12L) to indicate that the value pointed to by an iterator is a dbref (database reference).

Note that this BSON data type is deprecated and `rmongodb` provides no support for it. Attempting to fetch the value of a dbref with [mongo.bson.to.list\(\)](#) or

[mongo.bson.iterator.value\(\)](#) will throw an error. The field must be skipped by calling [mongo.bson.iterator.next](#)

Usage

mongo.bson.dbref

Value

12L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.destroy *Destroy a mongo.bson object*

Description

Releases the resources associated with a [mongo.bson](#) object. It is not absolutely necessary to call this function since R's garbage collection will eventually get around to doing it for you.

Usage

```
mongo.bson.destroy(b)
```

Arguments

b A ([mongo.bson](#)) object.

Value

NULL

See Also

[mongo.bson](#),
[mongo.bson.from.list](#),
[mongo.bson.from.buffer](#).

Examples

```
b <- mongo.bson.from.list(list(name="Cheryl", age=29))
print(b)
mongo.bson.destroy(b)
```

mongo.bson.double *BSON data type constant for a double value*

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (1L) to indicate that the value pointer to by an iterator is a double.

Usage

```
mongo.bson.double
```

Value

1L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.empty	<i>Create an empty mongo.bson object</i>
------------------	--

Description

Returns an empty mongo.bson object. mongo.bson objects have "mongo.bson" as their class and contain an externally managed pointer to the actual data. This pointer is stored in the "mongo.bson" attribute of the object.

Usage

```
mongo.bson.empty()
```

Value

An empty mongo.bson object

See Also

[mongo.bson](#)

Examples

```
# Use an empty mongo.bson for the query object which matches everything.  
# This happens to be the default value for the query  
# parameter to mongo.count, but we explicitly use mongo.bson.empty()  
# here for an example.  
mongo <- mongo.create()  
if (mongo.is.connected(mongo))  
  print(mongo.count(mongo, "test.people", query=mongo.bson.empty()))
```

mongo.bson.eoo	<i>BSON data type constant for 'End Of Object'</i>
----------------	--

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (OL) at the end of the object when there are no more fields through which to iterate.

Usage

```
mongo.bson.eoo
```

Value

OL

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.find	<i>Find a field within a mongo.bson object by name</i>
-----------------	--

Description

Find a field within a [mongo.bson](#) object by the name (key) of the field and return a [mongo.bson.iterator](#) pointing to that field.

The search parameter may also be a 'dotted' reference to a field in a subobject or array. See examples.

Usage

```
mongo.bson.find(b, name)
```

Arguments

b	(mongo.bson) The object in which to find the field.
name	(string) The name of the field to find.

Value

([mongo.bson.iterator](#)) An iterator pointing to the field found if name was found among the names of the fields; otherwise, NULL.

See Also

[mongo.bson.iterator](#),
[mongo.bson.iterator.value](#),
[mongo.bson](#).

Examples

```
b <- mongo.bson.from.list(list(name="John", age=32L,  
  address=list(street="Vine", city="Denver", state="CO")))  
iter <- mongo.bson.find(b, "age")  
print(mongo.bson.iterator.value(iter)) # print 32  
  
iter <- mongo.bson.find(b, "address.city")  
print(mongo.bson.iterator.value(iter)) # print Denver  
  
x <- c(1,1,2,3,5)  
b <- mongo.bson.from.list(list(fib=x))  
iter <- mongo.bson.find(b, "fib.3") # BSON arrays are 0-based  
print(mongo.bson.iterator.value(iter)) # print 3
```

`mongo.bson.from.buffer`*Convert a mongo.bson.buffer object to a mongo.bson object*

Description

Convert a [mongo.bson.buffer](#) object to a [mongo.bson](#) object.

Use this after appending data to a buffer to turn it into a mongo.bson object for network transport.

No further data may be appended to the buffer after calling this function.

Usage

```
mongo.bson.from.buffer(buf)
```

Arguments

`buf` ([mongo.bson.buffer](#)) The buffer to convert.

Value

A [mongo.bson](#) object as converted from the buffer parameter.

See Also

[mongo.bson](#),
[mongo.bson.buffer](#),
[mongo.bson.buffer.append](#),
[mongo.bson.destroy](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "name", "Fred")
mongo.bson.buffer.append(buf, "city", "Dayton")
b <- mongo.bson.from.buffer(buf)
print(b)
mongo.bson.destroy(b)
```

`mongo.bson.from.list` *Convert a list to a mongo.bson object*

Description

Convert a list to a [mongo.bson](#) object.

This function permits the simple and convenient creation of a mongo.bson object. This bypasses the creation of a [mongo.bson.buffer](#), appending fields one by one, and then turning the buffer into a mongo.bson object with [mongo.bson.from.buffer\(\)](#).

Note that this function and [mongo.bson.to.list\(\)](#) do not always perform inverse conversions since [mongo.bson.to.list\(\)](#) will convert objects and subobjects to atomic vectors if possible.

Usage

```
mongo.bson.from.list(lst)
```

Arguments

`lst` (list) The list to convert.
This *must* be a list, *not* a vector of atomic types; otherwise, an error is thrown; use `as.list()` as necessary.

Value

([mongo.bson](#)) A mongo.bson object serialized from `lst`.

See Also

[mongo.bson.to.list](#),
[mongo.bson](#),
[mongo.bson.destroy](#).

Examples

```
lst <- list(name="John", age=32)
b <- mongo.bson.from.list(lst)
# the above produces a BSON object of the form:
# { "name" : "John", "age" : 32.0 }

# Convert a vector of an atomic type to a list and
# then to a mongo.bson object
v <- c(president="Jefferson", vice="Burr")
b <- mongo.bson.from.list(as.list(v))
# the above produces a BSON object of the form:
# { "president" : "Jefferson", "vice" : "Burr" }
```

mongo.bson.int

BSON data type constant for a integer value

Description

`mongo.bson.iterator.type()` and `mongo.bson.iterator.next()` will return this constant (16L) to indicate that the value pointer to by an iterator is a integer (32-bit).

Usage

```
mongo.bson.int
```

Value

16L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.iterator *The mongo.bson.iterator class*

Description

Objects of class "mongo.bson.iterator" are used to iterate through BSON documents as stored in [mongo.bson](#) objects.

mongo.bson.iterator objects have "mongo.bson.iterator" as their class and contain an externally managed pointer to the actual document data. This pointer is stored in the "mongo.bson.iterator" attribute of the object.

See Also

[mongo.bson.iterator.create](#),
[mongo.bson.find](#),
[mongo.bson.iterator.next](#),
[mongo.bson.iterator.key](#),
[mongo.bson.iterator.value](#),
[mongo.bson](#).

Examples

```
b <- mongo.bson.from.list(list(name="Joy", age=35, city="Ontario"))
# b is of class "mongo.bson"
iter <- mongo.bson.iterator.create(b)
while (mongo.bson.iterator.next(iter))
  print(mongo.bson.iterator.value(iter))
```

mongo.bson.iterator.create
Create a mongo.bson.iterator object

Description

Create a [mongo.bson.iterator](#) object used to step through a given [mongo.bson](#) object one field at a time.

Usage

```
mongo.bson.iterator.create(b)
```

Arguments

b ([mongo.bson](#)) The mongo.bson object through which to iterate.
b may also be a mongo.bson.iterator and is expected to point to a subobject or array. The iterator returned may be used to step through the subobject or array.

Value

(string) The key (name) of the field pointed to by iter

See Also

[mongo.bson.iterator](#),
[mongo.bson.iterator.create](#),
[mongo.bson.find](#),
[mongo.bson.iterator.next](#),
[mongo.bson.iterator.type](#),
[mongo.bson.iterator.value](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
# Append a string
mongo.bson.buffer.append(buf, "name", "Joe")
# Append a date/time
mongo.bson.buffer.append(buf, "created", Sys.time())
# Append a NULL
mongo.bson.buffer.append(buf, "cars", NULL)
b <- mongo.bson.from.buffer(buf)

# iterate through all values and print them with their keys (names)
iter <- mongo.bson.iterator.create(b)
while (mongo.bson.iterator.next(iter)) { # eoo at end stops loop
  print(mongo.bson.iterator.key(iter))
  print(mongo.bson.iterator.value(iter))
}
```

mongo.bson.iterator.next

Advance an iterator to the first or next field

Description

Advance a [mongo.bson.iterator](#) to the first or next field.

Usage

```
mongo.bson.iterator.next(iter)
```

Arguments

iter A [mongo.bson.iterator](#).

Value

(integer) The type of the next of the field pointed to by the iterator as indicated by the following constants:

- [mongo.bson.eoo](#) – End of Object (OL)
- [mongo.bson.double](#)
- [mongo.bson.string](#)
- [mongo.bson.object](#)
- [mongo.bson.array](#)
- [mongo.bson.binary](#)
- [mongo.bson.undefined](#)
- [mongo.bson.oid](#)
- [mongo.bson.bool](#)
- [mongo.bson.date](#)
- [mongo.bson.null](#)
- [mongo.bson.regex](#)
- [mongo.bson.dbref](#) – deprecated (follow link for more info)
- [mongo.bson.code](#)
- [mongo.bson.symbol](#)
- [mongo.bson.code.w.scope](#)
- [mongo.bson.int](#)
- [mongo.bson.timestamp](#)
- [mongo.bson.long](#)

See Also

[mongo.bson.iterator](#),
[mongo.bson.iterator.create](#),
[mongo.bson.find](#),
[mongo.bson.iterator.key](#),
[mongo.bson.iterator.type](#),
[mongo.bson.iterator.value](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
# Append a string
mongo.bson.buffer.append(buf, "name", "Joe")
# Append a date/time
mongo.bson.buffer.append(buf, "created", Sys.time())
# Append a NULL
mongo.bson.buffer.append(buf, "cars", NULL)
b <- mongo.bson.from.buffer(buf)

iter <- mongo.bson.iterator.create(b)
# Advance to the "cars" field
while (mongo.bson.iterator.next(iter) != mongo.bson.null)
```

```
{
  # NOP
}
print(mongo.bson.iterator.value(iter))

# The above is given for illustrative purposes, but may be performed
# much easier by the following:
iter <- mongo.bson.find(b, "cars")
print(mongo.bson.iterator.value(iter))

# iterate through all values and print them with their keys (names)
iter <- mongo.bson.iterator.create(b)
while (mongo.bson.iterator.next(iter)) { # eoo at end stops loop
  print(mongo.bson.iterator.key(iter))
  print(mongo.bson.iterator.value(iter))
}
```

mongo.bson.iterator.type

Get the type of data pointed to by an iterator

Description

Return the type of the field currently pointed to by a [mongo.bson.iterator](#).

Usage

```
mongo.bson.iterator.type(iter)
```

Arguments

iter A [mongo.bson.iterator](#).

Value

(integer) The type of the field pointed to by the iterator as indicated by the following constants:

- [mongo.bson.eoo](#) – End of Object (0L)
- [mongo.bson.double](#)
- [mongo.bson.string](#)
- [mongo.bson.object](#)
- [mongo.bson.array](#)
- [mongo.bson.binary](#)
- [mongo.bson.undefined](#)
- [mongo.bson.oid](#)
- [mongo.bson.bool](#)
- [mongo.bson.date](#)
- [mongo.bson.null](#)
- [mongo.bson.regex](#)

- [mongo.bson.dbref](#) – deprecated (follow link for more info)
- [mongo.bson.code](#)
- [mongo.bson.symbol](#)
- [mongo.bson.code.w.scope](#)
- [mongo.bson.int](#)
- [mongo.bson.timestamp](#)
- [mongo.bson.long](#)

See Also

[mongo.bson.iterator](#),
[mongo.bson.iterator.create](#),
[mongo.bson.find](#),
[mongo.bson.iterator.next](#),
[mongo.bson.iterator.key](#),
[mongo.bson.iterator.value](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
# Append a string
mongo.bson.buffer.append(buf, "name", "Joe")
# Append a date/time
mongo.bson.buffer.append(buf, "created", Sys.time())
# Append a NULL
mongo.bson.buffer.append(buf, "cars", NULL)
b <- mongo.bson.from.buffer(buf)

iter <- mongo.bson.iterator.create(b)
while (mongo.bson.iterator.next(iter))
  if (mongo.bson.iterator.type(iter) == mongo.bson.date) {
    print(mongo.bson.iterator.value(iter))
    break
  }

# The above is given for illustrative purposes, but may be performed
# much easier by the following:
iter <- mongo.bson.find(b, "created")
print(mongo.bson.iterator.value(iter))
```

mongo.bson.iterator.value

Return the value of the field pointed to by an iterator

Description

Return the value of the field pointed to by a [mongo.bson.iterator](#).

Usage

```
mongo.bson.iterator.value(iter)
```

Arguments

`iter` A [mongo.bson.iterator](#).

Value

The value of the field pointed to by `iter`.

This function returns an appropriate R object depending on the type of the field pointed to by the iterator. This mapping to values is as follows:

mongo.bson.eoo	0L
mongo.bson.double	A double
mongo.bson.string	A string
mongo.bson.object	(See below).
mongo.bson.array	(See below).
mongo.bson.binary	A raw vector. (See below).
mongo.bson.undefined	A mongo.undefined object
mongo.bson.oid	A mongo.oid object
mongo.bson.bool	A logical
mongo.bson.date	A "POSIXct" class object
mongo.bson.null	NULL
mongo.bson.regex	A mongo.regex object
mongo.bson.dbref	Error! (deprecated – see link)
mongo.bson.code	A mongo.code object
mongo.bson.symbol	A mongo.symbol object
mongo.bson.code.w.scope	A mongo.code.w.scope object
mongo.bson.int	An integer
mongo.bson.timestamp	A mongo.timestamp object
mongo.bson.long	A double

Special handling:

[mongo.bson.object](#): If the object is recognized as a complex value (of the form { "r" : double, "i" : double }), a complex value is returned. If the special wrapper as output by [mongo.bson.buffer.append.object\(\)](#) is detected, an appropriately attributed R object is returned; otherwise, a list is returned containing the subfields.

[mongo.bson.array](#): If all fields of the array are of the same atomic type, a vector of that type is returned. (Multidimensional arrays are detected and the `dims` attribute will be set accordingly. Arrays of complex values are also detected as above). Otherwise, a list is returned containing the subfields.

[mongo.bson.binary](#): If non-zero, the subtype of the binary data is stored in the attribute "subtype". See [mongo.bson.buffer.append.raw\(\)](#).

See Also

[mongo.bson.iterator](#),
[mongo.bson.iterator.create](#),
[mongo.bson.find](#),
[mongo.bson.iterator.next](#),
[mongo.bson.iterator.key](#),
[mongo.bson.iterator.type](#),
[mongo.bson](#).

Examples

```

buf <- mongo.bson.buffer.create()
# Append a string
mongo.bson.buffer.append(buf, "name", "Joe")
# Append a date/time
mongo.bson.buffer.append(buf, "created", Sys.time())
# Append a NULL
mongo.bson.buffer.append(buf, "cars", NULL)
b <- mongo.bson.from.buffer(buf)

# iterate through all values and print them with their keys (names)
iter <- mongo.bson.iterator.create(b)
while (mongo.bson.iterator.next(iter)) { # eoo at end stops loop
  print(mongo.bson.iterator.key(iter))
  print(mongo.bson.iterator.value(iter))
}

```

mongo.bson.long	<i>BSON data type constant for a long value</i>
-----------------	---

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (18L) to indicate that the value pointer to by an iterator is a long integer (64 bits).

Usage

```
mongo.bson.long
```

Value

```
18L
```

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.null	<i>BSON data type constant for a null value</i>
-----------------	---

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (10L) to indicate that the value pointer to by an iterator is a null.

Usage

```
mongo.bson.null
```

Value

10L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.object	<i>BSON data type constant for a subobject value</i>
-------------------	--

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (3L) to indicate that the value pointer to by an iterator is a subobject.

Usage

mongo.bson.object

Value

3L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.oid	<i>BSON data type constant for a oid value</i>
----------------	--

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (7L) to indicate that the value pointer to by an iterator is a oid (Object ID).

Usage

mongo.bson.oid

Value

7L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.print *Display a mongo.bson object*

Description

Display formatted output of a mongo.bson object.

Output is tabbed (indented to show the nesting level of subobjects and arrays).

Usage

```
mongo.bson.print(x, ...)
```

Arguments

x ([mongo.bson](#)) The mongo.bson object to display.
... Parameters passed from generic.

Value

The parameter is returned unchanged.

See Also

[mongo.bson](#)

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "name", "Fred")
mongo.bson.buffer.append(buf, "city", "Dayton")
b <- mongo.bson.from.buffer(buf)

# all display the same thing
mongo.bson.print(b)
print.mongo.bson(b)
print(b)
```

mongo.bson.regex *BSON data type constant for a regex value*

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (11L) to indicate that the value pointer to by an iterator is a regular expression.

Usage

```
mongo.bson.regex
```

Value

11L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.size	<i>Get the size of a mongo.bson object</i>
-----------------	--

Description

Get the number of bytes taken up by the BSON data attached to the mongo.bson object

Usage

```
mongo.bson.size(b)
```

Arguments

b ([mongo.bson](#)) the mongo.bson object to examine.

Value

(integer) the number of bytes taken up by the BSON data attached to the mongo.bson object.

See Also

[mongo.bson](#)

Examples

```
# should report 5
print(mongo.bson.size(mongo.bson.empty()))

buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "name", "Fred")
mongo.bson.buffer.append(buf, "city", "Dayton")
y <- mongo.bson.from.buffer(buf)
# should report 37
print(mongo.bson.size(y))
```

mongo.bson.string *BSON data type constant for a string value*

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (2L) to indicate that the value pointer to by an iterator is a string.

Usage

```
mongo.bson.string
```

Value

2L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.symbol *BSON data type constant for a symbol value*

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (14L) to indicate that the value pointer to by an iterator is a symbol.

Usage

```
mongo.bson.symbol
```

Value

14L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.timestamp *BSON data type constant for a timestamp value*

Description

`mongo.bson.iterator.type()` and `mongo.bson.iterator.next()` will return this constant (17L) to indicate that the value pointer to by an iterator is a timestamp.

Usage

```
mongo.bson.timestamp
```

Value

17L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.to.list *Convert a mongo.bson object to an R object.*

Description

Convert a [mongo.bson](#) object to an R object.

Note that this function and `mongo.bson.from.list()` do not always perform inverse conversions since `mongo.bson.to.list()` will convert objects and subobjects to atomic vectors if possible.

This function is somewhat schizophrenic depending on the types of the fields in the `mongo.bson` object. If all fields in an object (or subobject/array) can be converted to the same atomic R type (for example they are all strings or all integer, you'll actually get out a vector of the atomic type with the names attribute set.

For example, if you construct a `mongo.bson` object like such:

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "First", "Joe")
mongo.bson.buffer.append(buf, "Last", "Smith")
b <- mongo.bson.from.buffer(buf)
l <- mongo.bson.to.list(b)
```

You'll get a vector of strings out of it which may be indexed by number, like so:

```
print(l[1]) # display "Joe"
```

or by name, like so:

```
print(l[["Last"]]) # display "Smith"
```

If, however, the `mongo.bson` object is made up of disparate types like such:

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "Name", "Joe Smith")
mongo.bson.buffer.append(buf, "age", 21.5)
b <- mongo.bson.from.buffer(buf)
l <- mongo.bson.to.list(b)
```

You'll get a true list (with the names attribute set) which may be indexed by number also:

```
print(l[1]) # display "Joe Smith"
or by name, in the same fashion as above, like so
print(l[["Name"]]) # display "Joe Smith"
```

but also with the \$ operator, like so:

```
print(l$age) # display 21.5
```

Note that `mongo.bson.to.list()` operates recursively on subobjects and arrays and you'll get lists whose members are lists or vectors themselves. See [mongo.bson.value\(\)](#) for more information on the conversion of component types.

This function also detects the special wrapper as output by `mongo.bson.buffer.append.object()` and will return an appropriately attributed object.

Perhaps the best way to see what you are going to get for your particular application is to test it.

Usage

```
mongo.bson.to.list(b)
```

Arguments

b ([mongo.bson](#)) The mongo.bson object to convert.

Value

Best guess at an appropriate R object representing the mongo.bson object.

See Also

[mongo.bson.from.list](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "name", "Fred")
mongo.bson.buffer.append(buf, "city", "Dayton")
b <- mongo.bson.from.buffer(buf)

l <- mongo.bson.to.list(b)
print(l)
```

mongo.bson.undefined *BSON data type constant for a undefined value*

Description

[mongo.bson.iterator.type\(\)](#) and [mongo.bson.iterator.next\(\)](#) will return this constant (6L) to indicate that the value pointer to by an iterator is a undefined.

Usage

```
mongo.bson.undefined
```

Value

6L

See Also

[mongo.bson.iterator.type](#),
[mongo.bson.iterator.next](#),
[mongo.bson](#).

mongo.bson.value *Return the value of a mongo.bson field*

Description

Search a [mongo.bson](#) object for a field by name and retrieve its value.

The search parameter may also be a 'dotted' reference to a field in a subobject or array. See examples.

Usage

```
mongo.bson.value(b, name)
```

Arguments

b	A mongo.bson object.
name	(string) The name of a field within b.

Value

NULL if name is not found;
otherwise, the value of the found field.

This function returns an appropriate R object depending on the type of the field found. This mapping to values is as follows:

mongo.bson.double	A double
mongo.bson.string	A string

mongo.bson.object	(See below).
mongo.bson.array	(See below).
mongo.bson.binary	A raw object. (See below).
mongo.bson.undefined	A mongo.undefined object
mongo.bson.oid	A mongo.oid object
mongo.bson.bool	A logical
mongo.bson.date	A "POSIXct" class object
mongo.bson.null	NULL
mongo.bson.regex	A mongo.regex object
mongo.bson.dbref	Error! (deprecated – see link)
mongo.bson.code	A mongo.code object
mongo.bson.symbol	A mongo.symbol object
mongo.bson.code.w.scope	A mongo.code.w.scope object
mongo.bson.int	An integer
mongo.bson.timestamp	A mongo.timestamp object
mongo.bson.long	A double

Special handling:

[mongo.bson.object](#): If the object is recognized as a complex value (of the form { "r" : double, "i" : double }), a complex value is returned. If the special wrapper as output by [mongo.bson.buffer.append.object\(\)](#) is detected, an appropriately attributed R object is returned; otherwise, a list is returned containing the subfields.

[mongo.bson.array](#): If all fields of the array are of the same atomic type, a vector of that type is returned. (Multidimensional arrays are detected and the `dims` attribute will be set accordingly. Arrays of complex values are also detected as above). Otherwise, a list is returned containing the subfields.

[mongo.bson.binary](#): If non-zero, the subtype of the binary data is stored in the attribute "subtype". See [mongo.bson.buffer.append.raw\(\)](#).

See Also

[mongo.bson.iterator.value](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
# Append a string
mongo.bson.buffer.append(buf, "name", "Joe")
# Append a date/time
mongo.bson.buffer.append(buf, "created", Sys.time())
# Append a NULL
mongo.bson.buffer.append(buf, "cars", NULL)
b <- mongo.bson.from.buffer(buf)

# Display the date appended above
print(mongo.bson.value(b, "created"))

b <- mongo.bson.from.list(list(name="John", age=32L,
  address=list(street="Vine", city="Denver", state="CO")))
print(mongo.bson.value(b, "age")) # print 32
print(mongo.bson.value(b, "address.state")) # print CO
```

```
x <- c(1,1,2,3,5)
b <- mongo.bson.from.list(list(fib=x)) # BSON arrays are 0-based
print(mongo.bson.value(b, "fib.4")) # print 5
```

mongo.code

The mongo.code class

Description

Objects of class "mongo.code" are used to represent javascript code values in BSON documents.

mongo.code objects' value is a string representing the value of the code.

mongo.code objects have "mongo.code" as their class so that

[mongo.bson.buffer.append\(\)](#) may detect them and append the appropriate BSON code-typed value to a buffer.

These mongo.code values may also be present in a list and will be handled properly by [mongo.bson.buffer.append.list\(\)](#) and [mongo.bson.from.list\(\)](#).

See Also

[mongo.code.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
code <- mongo.code.create("y = x")
mongo.bson.buffer.append(buf, "Code", code)
lst <- list(c1 = code, One = 1)
mongo.bson.buffer.append.list(buf, "listWcode", lst)
mongo.bson.buffer.append.code(buf, "Code2", "a = 1")
b <- mongo.bson.from.buffer(buf)

# the above will create a mongo.bson object of the following form:
# { "Code": (CODE) "y = x",
#   "listWcode" : { "c1" : (CODE) "y = x",
#                  "One" : 1 },
#   "Code2" : (CODE) "a = 1" }
```

mongo.code.create	<i>Create a mongo.code object</i>
-------------------	-----------------------------------

Description

Create a `mongo.code` object for appending to a buffer with `mongo.bson.buffer.append()` or for embedding in a list such that `mongo.bson.buffer.append.list()` will properly insert a code value into the `mongo.bson.buffer` object.

Usage

```
mongo.code.create(code)
```

Arguments

code (string) javascript code

Value

A `mongo.code` object

See Also

[mongo.code](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
code <- mongo.code.create("y = x")
mongo.bson.buffer.append(buf, "Code", code)
lst <- list(c1 = code, One = 1)
mongo.bson.buffer.append.list(buf, "listWcode", lst)
mongo.bson.buffer.append.code(buf, "Code2", "a = 1")
b <- mongo.bson.from.buffer(buf)

# the above will create a mongo.bson object of the following form:
# { "Code": (CODE) "y = x",
#   "listWcode" : { "c1" : (CODE) "y = x",
#                 "One" : 1 },
#   "Code2" : (CODE) "a = 1" }
```

mongo.code.w.scope *The mongo.code.w.scope class*

Description

Objects of class "mongo.code.w.scope" are used to represent javascript code values with scopes in BSON documents.

mongo.code.w.scope objects' value is a string representing the value of the code.

The scope is a [mongo.bson](#) object and is stored in the "scope" attribute of the mongo.code.w.scope object.

mongo.code.w.scope objects have "mongo.code.w.scope" as their class so that [mongo.bson.buffer.append\(\)](#) may detect them and append the appropriate BSON code-typed value and scope to a buffer.

These mongo.code.w.scope values may also be present in a list and will be handled properly by [mongo.bson.buffer.append.list\(\)](#) and [mongo.bson.from.list\(\)](#).

See Also

[mongo.code.w.scope.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "sv", "sx")
scope <- mongo.bson.from.buffer(buf)
codeWscope <- mongo.code.w.scope.create("y = x", scope)
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "CodeWscope", codeWscope)
lst <- list(c1 = codeWscope, One = 1)
mongo.bson.buffer.append.list(buf, "listWcodeWscope", lst)
b <- mongo.bson.from.buffer(buf)

# the above will create a mongo.bson object of the following form:
# { "CodeWscope" : (CODEWSCOPE) "y = x"
#   (SCOPE) { "sv" : "sx"},
#   "listWcodeWscope" : { "c1" : (CODEWSCOPE) "y = x"
#     (SCOPE) { "sv" : "sx"} } }
```

mongo.code.w.scope.create
Create a mongo.code.w.scope object

Description

Create a `mongo.code.w.scope` object for appending to a buffer with `mongo.bson.buffer.append()` or for embedding in a list such that `mongo.bson.buffer.append.list()` will properly insert a code value into the `mongo.bson.buffer` object.

Usage

```
mongo.code.w.scope.create(code, scope)
```

Arguments

code	(string) javascript code
scope	(mongo.bson) the scope object

Value

A `mongo.code.w.scope` object

See Also

[mongo.code.w.scope](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "scopevar", "scopevalue")
scope <- mongo.bson.from.buffer(buf)
codeWscope <- mongo.code.w.scope.create("y = x", scope)
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "CodeWscope", codeWscope)
b <- mongo.bson.from.buffer(buf)

# The above produces a BSON object of the form:
# { "CodeWscope" : (CODEWScope) "y = x"
#   (SCOPE) { "scopevar" : "scopevalue" } }
```

mongo.command

Issue a command to a database on MongoDB server

Description

Issue a command to a MongoDB server and return the response from the server.

This function supports any of the MongoDB database commands by allowing you to specify the command object completely yourself.

See <http://www.mongodb.org/display/DOCS/List+of+Database+Commands>.

Usage

```
mongo.command(mongo, db, command)
```

Arguments

mongo	(mongo) A mongo connection object.
db	(string) The name of the database upon which to perform the command.
command	(mongo.bson) An object describing the command. Alternately, command may be a list which will be converted to a mongo.bson object by mongo.bson.from.list() .

Value

NULL if the command failed. [mongo.get.err\(\)](#) may be MONGO_COMMAND_FAILED.
([mongo.bson](#)) The server's response if successful.

See Also

[mongo.get.err](#),
[mongo.simple.command](#),
[mongo.rename](#),
[mongo.count](#),
[mongo.drop.database](#),
[mongo.drop](#),
[mongo](#),
[mongo.bson](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {

  # alternate method of renaming a collection
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "renameCollection", "test.people")
  mongo.bson.buffer.append(buf, "to", "test.humans")
  command <- mongo.bson.from.buffer(buf)
  mongo.command(mongo, "admin", command)

  # use list notation to rename the collection back
  mongo.command(mongo, "admin",
    list(renameCollection="test.humans", to="test.people"))

  # Alternate method of counting people
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "count", "people")
  mongo.bson.buffer.append(buf, "query", mongo.bson.empty())
  command <- mongo.bson.from.buffer(buf)
  result = mongo.command(mongo, "test", command)
  if (!is.null(result)) {
    iter = mongo.bson.find(result, "n")
    print(mongo.bson.iterator.value(iter))
  }
}
```

}

`mongo.count`*Count records in a collection*

Description

Count the number of records in a collection that match a query See <http://www.mongodb.org/display/DOCS/Indexes>.

Usage

```
mongo.count(mongo, ns, query=mongo.bson.empty())
```

Arguments

<code>mongo</code>	(mongo) A mongo connection object.
<code>ns</code>	(string) The namespace of the collection in which to add count records.
<code>query</code>	mongo.bson The criteria with which to match records that are to be counted. The default of <code>mongo.bson.empty()</code> matches all records in the collection. Alternately, query may be a list which will be converted to a <code>mongo.bson</code> object by mongo.bson.from.list() .

Value

(double) The number of matching records.

See Also

[mongo.find](#),
[mongo.find.one](#),
[mongo.insert](#),
[mongo.update](#),
[mongo.remove](#),
[mongo](#),
[mongo.bson](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  # Count the number of records in collection people of database test
  people.count <- mongo.count(mongo, "test.people")
  print("total people")
  print(people.count)

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "age", 21L)
  query <- mongo.bson.from.buffer(buf)

  # Count the number of records in collection people of database test
  # where age == 21
```

```

just.legal.count <- mongo.count(mongo, "test.people", query)
print("people of age 21")
print(just.legal.count)

buf <- mongo.bson.buffer.create()
mongo.bson.buffer.start.object(buf, "age")
mongo.bson.buffer.append(buf, "$gte", 21L)
mongo.bson.buffer.finish.object(buf)
query <- mongo.bson.from.buffer(buf)

# Count the number of records in collection people of database test
# where age >= 21
total.legal.count <- mongo.count(mongo, "test.people", query)
print("people of age 21 or greater")
print(total.legal.count)

# shorthand using a list:
ford.count <- mongo.count(mongo, "test.cars", list(make="Ford"))
}

```

mongo.create

Create an object of class "mongo"

Description

Connect to a MongoDB server or replset and return an object of class "mongo" used for further communication over the connection.

All parameters are stored as attributes of the returned mongo object. Note that these attributes only reflect the initial parameters. Only the external data pointed to by the "mongo" attribute actually changes if, for example, mongo.timeout is called after the initial call to mongo.create.

Usage

```

mongo.create(host="127.0.0.1", name="",
             username="", password="", db="admin", timeout=0L)

```

Arguments

host	(string vector) A list of hosts/ports to which to connect. If a port is not given, 27017 is used.
name	(string) The name of the replset to which to connect. If name == "" (the default), the hosts are tried one by one until a connection is made. Otherwise, name must be the name of the replset and the given hosts are assumed to be seeds of the replset. Each of these is connected to and queried in turn until one reports that it is a master. This master is then queried for a list of hosts and these are in turn connected to and verified as belonging to the given replset name. When one of these reports that it is a master, that connection is used to form the actual connection as returned.
username	(string) The username to be used for authentication purposes. The default username of "" indicates that no user authentication is to be performed by the initial connect.
password	(string) The password corresponding to the given username.

db	(string) The name of the database upon which to authenticate the given username and password. If authentication fails, the connection is disconnected, but mongo.get.err() will indicate not indicate an error.
timeout	(as.integer) The number of milliseconds to wait before timing out of a network operation. The default (0L) indicates no timeout.

Value

If successful, a mongo object for use in subsequent database operations; otherwise, mongo.get.err() may be called on the returned mongo object to see why it failed.

See Also

[mongo](#),
[mongo.is.connected](#),
[mongo.disconnect](#),
[mongo.reconnect](#),
[mongo.get.err](#),
[mongo.get.primary](#),
[mongo.get.hosts](#),
[mongo.get.socket](#),
[mongo.set.timeout](#),
[mongo.get.timeout](#).

Examples

```

mongo <- mongo.create()
## Not run:
  mongo <- mongo.create("192.168.0.3")
## End(Not run)

```

mongo.cursor

The mongo.cursor class

Description

Objects of class "mongo.cursor" are returned from [mongo.find\(\)](#) and used to iterate over the records matching the query.

[mongo.cursor.next](#)(cursor) is used to step to the first or next record.

[mongo.cursor.value](#)(cursor) returns a mongo.bson object representing the current record.

[mongo.cursor.destroy](#)(cursor) releases the resources attached to the cursor.

mongo.cursor objects have "mongo.cursor" as their class and contain an externally managed pointer to the actual cursor data. This pointer is stored in the "mongo.cursor" attribute of the object.

See Also

[mongo.find](#),
[mongo.cursor.next](#),
[mongo.cursor.value](#),
[mongo.cursor.destroy](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "city", "St. Louis")
  query <- mongo.bson.from.buffer(buf)

  # Find the first 1000 records in collection people
  # of database test where city == "St. Louis"
  cursor <- mongo.find(mongo, "test.people", query, limit=1000L)
  # Step though the matching records and display them
  while (mongo.cursor.next(cursor))
    print(mongo.cursor.value(cursor))
  mongo.cursor.destroy(cursor)
}
```

mongo.cursor.destroy *Release resources attached to a cursor*

Description

mongo.cursor.destroy(cursor) is used to release resources attached to a cursor on both the client and server.

Note that mongo.cursor.destroy(cursor) may be called before all records of a result set are iterated through (for example, if a desired record is located in the result set).

Although the 'destroy' functions in this package are called automatically by garbage collection, this one in particular should be called as soon as feasible when finished with the cursor so that server resources are freed.

Usage

```
mongo.cursor.destroy(cursor)
```

Arguments

cursor ([mongo.cursor](#)) A mongo.cursor object returned from [mongo.find\(\)](#).

Value

TRUE if successful; otherwise, FALSE (when an error occurs during sending the Kill Cursor operation to the server). in either case, the cursor should not be used for further operations.

See Also

[mongo.find](#),
[mongo.cursor](#),
[mongo.cursor.next](#),
[mongo.cursor.value](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "city", "St. Louis")
  query <- mongo.bson.from.buffer(buf)

  # Find the first 1000 records in collection people
  # of database test where city == "St. Louis"
  cursor <- mongo.find(mongo, "test.people", query, limit=1000L)
  # Step though the matching records and display them
  while (mongo.cursor.next(cursor))
    print(mongo.cursor.destroy(cursor))
  mongo.cursor.destroy(cursor)
}

```

mongo.cursor.next	<i>Advance a cursor to the next record</i>
-------------------	--

Description

[mongo.cursor.next](#)(cursor) is used to step to the first or next record.
[mongo.cursor.value](#)(cursor) may then be used to examine it.

Usage

```
mongo.cursor.next(cursor)
```

Arguments

cursor ([mongo.cursor](#)) A mongo.cursor object returned from [mongo.find\(\)](#).

Value

TRUE if there is a next record; otherwise, FALSE.

See Also

[mongo.find](#),
[mongo.cursor](#),
[mongo.cursor.value](#),
[mongo.cursor.destroy](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "city", "St. Louis")
  query <- mongo.bson.from.buffer(buf)

  # Find the first 1000 records in collection people
  # of database test where city == "St. Louis"

```

```
cursor <- mongo.find(mongo, "test.people", query, limit=1000L)
# Step though the matching records and display them
while (mongo.cursor.next(cursor))
  print(mongo.cursor.value(cursor))
mongo.cursor.destroy(cursor)
}
```

mongo.cursor.value *Fetch the current value of a cursor*

Description

`mongo.cursor.value(cursor)` is used to fetch the current record belonging to a `mongo.find()` query.

Usage

```
mongo.cursor.value(cursor)
```

Arguments

cursor ([mongo.cursor](#)) A mongo.cursor object returned from `mongo.find()`.

Value

([mongo.bson](#)) The current record of the result set.

See Also

[mongo.find](#),
[mongo.cursor](#),
[mongo.cursor.next](#),
[mongo.cursor.value](#),
[mongo.cursor.destroy](#),
[mongo.bson](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "city", "St. Louis")
  query <- mongo.bson.from.buffer(buf)

  # Find the first 1000 records in collection people
  # of database test where city == "St. Louis"
  cursor <- mongo.find(mongo, "test.people", query, limit=1000L)
  # Step though the matching records and display them
  while (mongo.cursor.next(cursor))
    print(mongo.cursor.value(cursor))
  mongo.cursor.destroy(cursor)
}
```

mongo.destroy *Destroy a MongoDB connection*

Description

Destroy a [mongo](#) connection. The connection is disconnected first if it is still connected. No further communication is possible on the connection. Releases resources attached to the connection on both client and server.

Although the 'destroy' functions in this package are called automatically by garbage collection, this one in particular should be called as soon as feasible when finished with the connection so that server resources are freed.

Usage

```
mongo.destroy(mongo)
```

Arguments

mongo ([mongo](#)) a mongo connection object.

Value

NULL

See Also

[mongo](#),
[mongo.disconnect](#),
[mongo.is.connected](#)
[mongo.reconnect](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  n_people <- mongo.count(mongo, "test.people")
  mongo.destroy(mongo)
  print(n_people)
}
```

mongo.disconnect *Disconnect from a MongoDB server*

Description

Disconnect from a MongoDB server. No further communication is possible on the connection. However, [mongo.reconnect\(\)](#) may be called on the mongo object to reestablish the connection.

Usage

```
mongo.disconnect(mongo)
```

Arguments

mongo (mongo) a mongo connection object.

Value

The mongo object is returned.

See Also

mongo,
 mongo.create,
 mongo.reconnect,
 mongo.is.connected.

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  n_people <- mongo.count(mongo, "test.people")
  mongo.disconnect(mongo)
}
```

mongo.distinct

Get a vector of distinct keys in a collection

Description

Get a vector of distinct keys in a collection.

See <http://www.mongodb.org/display/DOCS/Aggregation#Aggregation-Distinct>.

Usage

```
mongo.distinct(mongo, ns, key)
```

Arguments

mongo (mongo) A mongo connection object.
 ns (string) The namespace of the collection in which to find distinct keys.
 key (string) The name of the key field for which to get distinct values.

Value

NULL if the command failed. `mongo.get.err()` may be MONGO_COMMAND_FAILED.

(vector) The result set of distinct keys.

See Also

mongo.command,
 mongo.simple.command,
 mongo.find,
 mongo.

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  keys <- mongo.distinct(mongo, "test.people", "name")
  print(keys)
}
```

mongo.drop

Drop a collection from a MongoDB server

Description

Drop a collection from a database on MongoDB server. This removes the entire collection.

Obviously, care should be taken when using this command.

Usage

```
mongo.drop(mongo, ns)
```

Arguments

mongo ([mongo](#)) A mongo connection object.
ns (string) The namespace of the collection to drop.

Value

(Logical) TRUE if successful; otherwise, FALSE

See Also

[mongo.drop.database](#),
[mongo.command](#),
[mongo.rename](#),
[mongo.count](#),
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  print(mongo.drop(mongo, "test.people"))

  mongo.destroy(mongo)
}
```

mongo.drop.database *Drop a database from a MongoDB server*

Description

Drop a database from MongoDB server. Removes the entire database and all collections in it. Obviously, care should be taken when using this command.

Usage

```
mongo.drop.database(mongo, db)
```

Arguments

mongo ([mongo](#)) A mongo connection object.
db (string) The name of the database to drop.

Value

(Logical) TRUE if successful; otherwise, FALSE

See Also

[mongo.drop](#),
[mongo.command](#),
[mongo.rename](#),
[mongo.count](#),
[mongo.](#)

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  print(mongo.drop.database(mongo, "test"))

  mongo.destroy(mongo)
}
```

mongo.find *Find records in a collection*

Description

Find records in a collection that match a given query.
See <http://www.mongodb.org/display/DOCS/Querying>.

Usage

```
mongo.find(mongo, ns, query=mongo.bson.empty(),
            sort=mongo.bson.empty(), fields=mongo.bson.empty(),
            limit=0L, skip=0L, options=0L)
```

Arguments

mongo	(mongo) a mongo connection object.
ns	(string) namespace of the collection from which to find records.
query	(mongo.bson) The criteria with which to match the records to be found. The default of <code>mongo.bson.empty()</code> will cause the the very first record in the collection to be returned. Alternately, query may be a list which will be converted to a <code>mongo.bson</code> object by <code>mongo.bson.from.list()</code> .
sort	(mongo.bson) The desired fields by which to sort the returned records. The default of <code>mongo.bson.empty()</code> indicates that no special sorting is to be done; the records will come back in the order that indexes locate them. Alternately, sort may be a list which will be converted to a <code>mongo.bson</code> object by <code>mongo.bson.from.list()</code> .
fields	(mongo.bson) The desired fields which are to be returned from the matching record. The default of <code>mongo.bson.empty()</code> will cause all fields of the matching record to be returned; however, specific fields may be specified to cut down on network traffic and memory overhead. Alternately, fields may be a list which will be converted to a <code>mongo.bson</code> object by <code>mongo.bson.from.list()</code> .
limit	(as.integer) The maximum number of records to be returned. A limit of 0L will return all matching records not skipped.
skip	(as.integer) The number of matching records to skip before returning subsequent matching records.
options	(integer vector) Flags governing the requested operation as follows: <ul style="list-style-type: none"> • mongo.find.cursor.tailable • mongo.find.slave.ok • mongo.find.oplog.replay • mongo.find.no.cursor.timeout • mongo.find.await.data • mongo.find.exhaust • mongo.find.partial.results

Value

([mongo.cursor](#)) An object of class "mongo.cursor" which is used to step through the matching records.

Note that an empty cursor will be returned if a database error occurred.

`mongo.get.server.err()` and `mongo.get.server.err.string()` may be examined in that case.

See Also

[mongo.cursor](#),
[mongo.cursor.next](#),
[mongo.cursor.value](#),
[mongo.find.one](#),
[mongo.insert](#),
[mongo.index.create](#),
[mongo.update](#),

mongo.remove,
mongo,
mongo.bson.

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "age", 18L)
  query <- mongo.bson.from.buffer(buf)

  # Find the first 100 records
  #   in collection people of database test where age == 18
  cursor <- mongo.find(mongo, "test.people", query, limit=100L)
  # Step through the matching records and display them
  while (mongo.cursor.next(cursor))
    print(mongo.cursor.value(cursor))
  mongo.cursor.destroy(cursor)

  # shorthand: find all records where age=32, sorted by name,
  # and only return the name & address fields:
  cursor <- mongo.find(mongo, "test.people", list(age=32),
                      list(name=1L), list(name=1L, address=1L))
}
```

mongo.find.await.data *mongo.find flag constant - await data*

Description

mongo.find() flag constant - await data.

Usage

mongo.find.await.data

Value

32L

mongo.find.cursor.tailable
mongo.find flag constant - cursor tailable

Description

mongo.find() flag constant - cursor tailable.

Usage

mongo.find.cursor.tailable

Value

2L

mongo.find.exhaust *mongo.find flag constant - exhaust*

Description

[mongo.find\(\)](#) flag constant - exhaust.

Usage

mongo.find.exhaust

Value

64L

mongo.find.no.cursor.timeout
mongo.find flag constant - no cursor timeout

Description

[mongo.find\(\)](#) flag constant - no cursor timeout.

Usage

mongo.find.no.cursor.timeout

Value

16L

mongo.find.one	<i>Find one record in a collection</i>
----------------	--

Description

Find the first record in a collection that matches a given query.

This is a simplified version of `mongo.find()` which eliminates the need to step through returned records with a cursor.

See <http://www.mongodb.org/display/DOCS/Querying>.

Usage

```
mongo.find.one(mongo, ns, query=mongo.bson.empty(),
               fields=mongo.bson.empty())
```

Arguments

mongo	(mongo) A mongo connection object.
ns	(string) The namespace of the collection from in which to find a record.
query	(mongo.bson) The criteria with which to match the record that is to be found. The default of <code>mongo.bson.empty()</code> will cause the the very first record in the collection to be returned. Alternately, query may be a list which will be converted to a <code>mongo.bson</code> object by mongo.bson.from.list() .
fields	(mongo.bson) The desired fields which are to be returned frtom the matching record. The default of <code>mongo.bson.empty()</code> will cause all fields of the matching record to be returned; however, specific fields may be specified to cut down on network traffic and memory overhead. Alternately, fields may be a list which will be converted to a <code>mongo.bson</code> object by mongo.bson.from.list() .

Value

NULL if no record matching the criteria is found; otherwise,

([mongo.bson](#)) The matching record/fields.

Note that NULL may also be returned if a database error occurred (when a badly formed query is used, for example). [mongo.get.server.err](#) and [mongo.get.server.err.string](#) may be examined in that case.

See Also

[mongo.find](#),
[mongo.index.create](#),
[mongo.insert](#),
[mongo.update](#),
[mongo.remove](#),
[mongo](#),
[mongo.bson](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "Jeff")
  query <- mongo.bson.from.buffer(buf)

  # find the first record where name is "Jeff"
  #   in collection people of database test
  b <- mongo.find.one(mongo, "test.people", query)
  if (!is.null(b))
    print(b)

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "_id", 1L)
  mongo.bson.buffer.append(buf, "age", 1L)
  fields <- mongo.bson.from.buffer(buf)

  # find the first record where name is "Jeff"
  #   in collection people of database test
  # return only the _id and age fields of the matched record
  b <- mongo.find.one(mongo, "test.people", query, fields)
  if (!is.null(b))
    print(b)

  # find the first record in collection cars of database test
  have.car <- !is.null(mongo.find.one(mongo, "test.cars"))

  # shorthand using a list:
  b <- mongo.find.one(mongo, "test.people", list(name="Jose"))
}

```

mongo.find.oplog.replay

mongo.find flag constant - oplog replay

Description

`mongo.find()` flag constant - oplog replay.

Usage

```
mongo.find.oplog.replay
```

Value

8L

mongo.find.partial.results
mongo.find flag constant - partial results

Description

`mongo.find()` flag constant - partial results.

Usage

mongo.find.partial.results

Value

128L

mongo.find.slave.ok *mongo.find flag constant - slave ok*

Description

`mongo.find()` flag constant - slave ok.

Usage

mongo.find.slave.ok

Value

4L

mongo.get.database.collections
Get a list of collections in a database

Description

Get a list of collections in a database on a MongoDB server.

Usage

mongo.get.database.collections(mongo, db)

Arguments

mongo (`mongo`) A mongo connection object.
db (string) Name of the database for which to get the list of collections.

Value

(string vector) List of collection namespaces in the given database.

Note this will not include the system collection `db.system.indexes` nor the indexes attached to the database. Use `mongo.find(mongo, "db.system.indexes", limit=0L)` for information on any indexes.

See Also

[mongo.get.databases](#),
[mongo.drop.database](#),
[mongo.drop](#),
[mongo.command](#),
[mongo.rename](#),
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  print(mongo.get.database.collections(mongo, "test"))

  mongo.destroy(mongo)
}
```

`mongo.get.databases` *Get a list of databases from a MongoDB server*

Description

Get a list of databases from a MongoDB server.

Usage

```
mongo.get.databases(mongo)
```

Arguments

`mongo` ([mongo](#)) A mongo connection object.

Value

(string vector) List of databases. Note this will not include the system databases "admin" and "local".

See Also

[mongo.get.database.collections](#),
[mongo.drop.database](#),
[mongo.command](#),
[mongo.rename](#),
[mongo](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  print(mongo.get.databases(mongo))

  mongo.destroy(mongo)
}

```

mongo.get.err

Retrieve an connection error code from a mongo object

Description

Retrieve an connection error code from a mongo object indicating the failure code if mongo.create() failed.

Usage

```
mongo.get.err(mongo)
```

Arguments

mongo ([mongo](#)) a mongo connection object.

Value

(integer) error code as follows:

0 No Error

mongo.create() errors:

1 No socket - Could not create socket.
2 Fail - An error occurred attempting to connect to socket
3 Address fail - An error occured calling getaddrinfo().
4 Not Master - Warning: connected to a non-master node (read-only).
5 Bad set name - given name doesn't match the replica set.
6 No Primary - Cannot find primary in replica set - connection closed.

Other errors:

7 I/O error - An error occured reading or writing on the socket.
8 Read size error - The response is not the expected length.
9 Command failed - The command returned with 'ok' value of 0.
10 BSON invalid - Not valid for the specified operation.
11 BSON not finished - should not occur with R driver.

See Also

[mongo.create](#),
[mongo](#)

Examples

```

mongo <- mongo.create()
if (!mongo.is.connected(mongo)) {
  print("Unable to connect. Error code:")
  print(mongo.get.err(mongo))
}

```

mongo.get.hosts	<i>Get a lists of hosts & ports as reported by a replica set master upon connection creation.</i>
-----------------	---

Description

Get a lists of hosts & ports as reported by a replica set master upon connection creation.

Usage

```
mongo.get.hosts(mongo)
```

Arguments

mongo ([mongo](#)) a mongo connection object.

Value

NULL if a replica set was not connected to; otherwise, a list of host & port strings in the format "

See Also

[mongo.create](#),
[mongo](#)

Examples

```

mongo <- mongo.create(c("127.0.0.1", "192.168.0.3"), name="Inventory")
if (mongo.is.connected(mongo))
  print(mongo.get.hosts(mongo))

```

mongo.get.last.err	<i>Retrieve an server error code from a mongo connection object</i>
--------------------	---

Description

Retrieve an server error record from a the MongoDB server. This describes the last error that occurs while accessing the give database. While this function retrieves an error record in the form of a mongo.bson record, it also sets the values returned by [mongo.get.server.err\(\)](#) and [mongo.get.server.err.string\(\)](#). You may find it more convenient using those after calling [mongo.get.last.err\(\)](#) rather than unpacking the returned mongo.bson object.

Usage

```
mongo.get.last.err(mongo, db)
```

Arguments

`mongo` ([mongo](#)) a mongo connection object.

`db` (string) The name of the database for which to get the error status.

Value

NULL if no error was reported; otherwise,

([mongo.bson](#)) This BSON object has the form { `err` : "error message string", `code` : error code integer }

See Also

[mongo.get.server.err](#),
[mongo.get.server.err.string](#),
[mongo.get.prev.err](#)
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {

  # try adding a duplicate record when index doesn't allow this

  db <- "test"
  ns <- "test.people"
  mongo.index.create(mongo, ns, "name", mongo.index.unique)

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "John")
  mongo.bson.buffer.append(buf, "age", 22L)
  b <- mongo.bson.from.buffer(buf)
  mongo.insert(mongo, ns, b);

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "John")
  mongo.bson.buffer.append(buf, "age", 27L)
  b <- mongo.bson.from.buffer(buf)
  mongo.insert(mongo, ns, b);

  err <- mongo.get.last.err(mongo, db)
  print(mongo.get.server.err(mongo))
  print(mongo.get.server.err.string(mongo))
}
```

mongo.get.prev.err *Retrieve an server error code from a mongo connection object*

Description

Retrieve the previous server error record from a the MongoDB server. While this function retrieves an error record in the form of a mongo.bson record, it also sets the values returned by [mongo.get.server.err\(\)](#) and [mongo.get.server.err.string\(\)](#). You may find it more convenient using those after calling `mongo.get.prev.err()` rather than unpacking the returned mongo.bson object.

Usage

```
mongo.get.prev.err(mongo, db)
```

Arguments

mongo ([mongo](#)) a mongo connection object.
db (string) The name of the database for which to get the error status.

Value

NULL if no error was reported; otherwise,

([mongo.bson](#)) This BSON object has the form { err : "error message string", code : error code integer }

See Also

[mongo.get.server.err](#),
[mongo.get.server.err.string](#),
[mongo.get.last.err](#)
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {

  # try adding a duplicate record when index doesn't allow this

  db <- "test"
  ns <- "test.people"
  mongo.index.create(mongo, ns, "name", mongo.index.unique)

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "John")
  mongo.bson.buffer.append(buf, "age", 22L)
  b <- mongo.bson.from.buffer(buf)
  mongo.insert(mongo, ns, b);

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "John")
```

```
mongo.bson.buffer.append(buf, "age", 27L)
b <- mongo.bson.from.buffer(buf)
mongo.insert(mongo, ns, b);

# try insert again
mongo.insert(mongo, ns, b);

err <- mongo.get.prev.err(mongo, db)
print(mongo.get.server.err(mongo))
print(mongo.get.server.err.string(mongo))
}
```

mongo.get.primary *Get the host & port of the server to which a mongo object is connected.*

Description

Get the host & port of the server to which a mongo object is connected.

Usage

```
mongo.get.primary(mongo)
```

Arguments

mongo ([mongo](#)) a mongo connection object.

Value

String host & port in the format "%s:%d".

See Also

[mongo.create](#),
[mongo.](#)

Examples

```
mongo <- mongo.create(c("127.0.0.1", "192.168.0.3"))
if (mongo.is.connected(mongo)) {
  print(mongo.get.primary(mongo))
}
```

mongo.get.server.err *Retrieve an server error code from a mongo connection object*

Description

Retrieve an server error code from a mongo connection object.

[mongo.find\(\)](#), [mongo.find.one\(\)](#), [mongo.index.create\(\)](#) set or clear this error code depending on whether they are successful or not.

[mongo.get.last.err\(\)](#) and [mongo.get.prev.err\(\)](#) both set or clear this error code according to what the server reports.

Usage

```
mongo.get.server.err(mongo)
```

Arguments

mongo ([mongo](#)) a mongo connection object.

Value

(integer) Server error code

See Also

[mongo.get.server.err.string](#),
[mongo.get.last.err](#),
[mongo.get.prev.err](#),
[mongo.find](#),
[mongo.find.one](#),
[mongo.index.create](#),
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  # construct a query containing invalid operator
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.start.object(buf, "age")
  mongo.bson.buffer.append(buf, "$bad", 1L)
  mongo.bson.buffer.finish.object(buf)
  query <- mongo.bson.from.buffer(buf)

  result <- mongo.find.one(mongo, "test.people", query)
  if (is.null(result)) {
    print(mongo.get.server.err.string(mongo))
    print(mongo.get.server.err(mongo))
  }
}
```

`mongo.get.server.err.string`*Retrieve an server error code from a mongo connection object*

Description

Retrieve an server error string from a mongo connection object.

`mongo.find()`, `mongo.find.one()`, `mongo.index.create()` set or clear this error string depending on whether they are successful or not.

`mongo.get.last.err()` and `mongo.get.prev.err()` both set or clear this error string according to what the server reports.

Usage

```
mongo.get.server.err.string(mongo)
```

Arguments

`mongo` (`mongo`) a mongo connection object.

Value

(string) Server error string

See Also

`mongo.get.server.err`,
`mongo.get.last.err`,
`mongo.get.prev.err`,
`mongo.find`,
`mongo.find.one`,
`mongo.index.create`,
`mongo`.

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  # construct a query containing invalid operator
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.start.object(buf, "age")
  mongo.bson.buffer.append(buf, "$bad", 1L)
  mongo.bson.buffer.finish.object(buf)
  query <- mongo.bson.from.buffer(buf)

  result <- mongo.find.one(mongo, "test.people", query)
  if (is.null(result)) {
    print(mongo.get.server.err(mongo))
    print(mongo.get.server.err.string(mongo))
  }
}
```

mongo.get.socket *Get the socket assigned to a mongo object by mongo.create().*

Description

Get the the low-level socket number assigned to the given mongo object by mongo.create().

Usage

```
mongo.get.socket(mongo)
```

Arguments

mongo ([mongo](#)) a mongo connection object.

Value

Integer socket number

See Also

[mongo.create](#),
[mongo.](#)

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo))
  print(mongo.get.socket(mongo))
```

mongo.get.timeout *Get the timeout value of a mongo connection*

Description

Get the timeout value for network operations on a mongo connection.

Usage

```
mongo.get.timeout(mongo)
```

Arguments

mongo ([mongo](#)) a mongo connection object.

Value

(integer) timeout value in milliseconds.

See Also

[mongo.set.timeout](#),
[mongo.create](#),
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  mongo.set.timeout(mongo, 2000L)
  timeout <- mongo.get.timeout(mongo)
  if (timeout != 2000L)
    error("expected timeout of 2000");
}
```

mongo.gridfile

The mongo.gridfile class

Description

Objects of class "mongo.gridfile" are used to access gridfiles on a MongoDB server. They are created by [mongo.gridfs.find\(\)](#).

mongo.gridfile objects have "mongo.gridfile" as their class and contain an externally managed pointer to the actual data used to manage operations on the gridfile. This pointer is stored in the "mongo.gridfile" attribute of the object. The object also has a "mongo.gridfs" attribute holding a pointer to the mongo.gridfs object used in creation to prevent garbage collection on the mongo.gridfs object while the mongo.gridfile is still active.

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.length](#),
[mongo.gridfile.get.chunk.size](#),
[mongo.gridfile.get.chunk.count](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.upload.date](#),
[mongo.gridfile.get.md5](#),
[mongo.gridfile.get.metadata](#),
[mongo.gridfile.get.chunk](#),
[mongo.gridfile.get.chunks](#),
[mongo.gridfile.read](#),
[mongo.gridfile.seek](#),
[mongo.gridfile.pipe](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.R")
  test.R <- file("test2.R")
  mongo.gridfile.pipe(gf, test.R)

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfile.destroy

Destroy a mongo.gridfile object

Description

Releases the resources associated with a [mongo.gridfile](#) object. These are created by [mongo.gridfs.find\(\)](#).

It is not absolutely necessary to call this function since R's garbage collection will eventually get around to doing it for you.

Usage

```
mongo.gridfile.destroy(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

NULL

See Also

[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfs](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")
  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(mongo.gridfile.get.upload.date(gf))
  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
```

`mongo.gridfile.get.chunk`*Get a chunk of a mongo.gridfile*

Description

Get a chunk of a [mongo.gridfile](#).

Usage

```
mongo.gridfile.get.chunk(gridfile, i)
```

Arguments

<code>gridfile</code>	A (mongo.gridfile) object.
<code>i</code>	(integer) The index of the chunk to fetch. This should be in the range 0 to mongo.gridfile.get.chunk.count (gridfile) - 1.

Value

([mongo.bson](#)) the *i*th chunk of gridfile if successful; otherwise, NULL.

The value returned is the *i*th document in the 'chunks' collection of the GridFS. The 'data' field of this document contains the actual data belonging to the chunk.

See <http://www.mongodb.org/display/DOCS/GridFS+Specification>.

See Also

```
mongo.gridfs,  
mongo.gridfs.find,  
mongo.gridfile,  
mongo.gridfile.get.descriptor,  
mongo.gridfile.get.filename,  
mongo.gridfile.get.length,  
mongo.gridfile.get.chunk.size,  
mongo.gridfile.get.chunk.count,  
mongo.gridfile.get.content.type,  
mongo.gridfile.get.upload.date,  
mongo.gridfile.get.md5,  
mongo.gridfile.get.metadata,  
mongo.gridfile.get.chunks,  
mongo.gridfile.read,  
mongo.gridfile.seek,  
mongo.gridfile.pipe.
```

Examples

```
mongo <- mongo.create()  
if (mongo.is.connected(mongo)) {  
  gridfs <- mongo.gridfs.create(mongo, "grid")  
  
  gf <- mongo.gridfs.find(gridfs, "test.R")  
}
```

```
chunk <- mongo.gridfile.get.chunk(gf, 0)
iter <- mongo.bson.find(chunk, "data")

f <- file("testChunk0.R", "wb")
# write the binary (raw) data to a file
writeBin(mongo.bson.iterator.value(iter), f)
close(f)

mongo.gridfile.destroy(gf)
mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfile.get.chunk.count

Get the chunk count of a mongo.gridfile

Description

Get the chunk count of a [mongo.gridfile](#). This is the number of chunks into which the gridfile is broken up on the server.

Usage

```
mongo.gridfile.get.chunk.count(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

(integer) The chunk count of gridfile

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.length](#),
[mongo.gridfile.get.chunk.size](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.upload.date](#),
[mongo.gridfile.get.md5](#),
[mongo.gridfile.get.metadata](#),
[mongo.gridfile.get.chunk](#),
[mongo.gridfile.get.chunks](#),
[mongo.gridfile.read](#),
[mongo.gridfile.seek](#),
[mongo.gridfile.pipe](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(mongo.gridfile.get.chunk.count(gf))

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfile.get.chunk.size

Get the chunk.size of a mongo.gridfile

Description

Get the chunk size of a [mongo.gridfile](#). This is the size of the chunks into which file is broken up on the server.

Usage

```
mongo.gridfile.get.chunk.size(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

(integer) The chunk size of gridfile.

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.length](#),
[mongo.gridfile.get.chunk.count](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.upload.date](#),
[mongo.gridfile.get.md5](#),
[mongo.gridfile.get.metadata](#),
[mongo.gridfile.get.chunk](#),
[mongo.gridfile.get.chunks](#),
[mongo.gridfile.read](#),
[mongo.gridfile.seek](#),
[mongo.gridfile.pipe](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(mongo.gridfile.get.chunk.size(gf))

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}

```

```

mongo.gridfile.get.chunks

```

Get a cursor for a range of chunks in a mongo.gridfile

Description

Get a [mongo.cursor](#) for a range of chunks in a [mongo.gridfile](#).

Usage

```

mongo.gridfile.get.chunks(gridfile, start, count)

```

Arguments

gridfile	A (mongo.gridfile) object.
start	(integer) The index of the first chunk to fetch. This should be in the range 0 to mongo.gridfile.get.chunk.count (gridfile) - 1.
count	(integer) The number of chunks to fetch.

Value

([mongo.cursor](#)) A cursor to be used to step through the requested chunks.

The values returned by [mongo.cursor.value\(\)](#) will be consecutive documents in the 'chunks' collection of the GridFS. The 'data' field of these documents contains the actual data belonging to the chunk. See <http://www.mongodb.org/display/DOCS/GridFS+Specification>.

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.length](#),
[mongo.gridfile.get.chunk.size](#),
[mongo.gridfile.get.chunk.count](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.upload.date](#),
[mongo.gridfile.get.md5](#),

```
mongo.gridfile.get.metadata,  
mongo.gridfile.get.chunk,  
mongo.gridfile.read,  
mongo.gridfile.seek,  
mongo.gridfile.pipe.
```

Examples

```
mongo <- mongo.create()  
if (mongo.is.connected(mongo)) {  
  gridfs <- mongo.gridfs.create(mongo, "grid")  
  
  gf <- mongo.gridfs.find(gridfs, "rmongodb.pdf")  
  cursor <- mongo.gridfile.get.chunks(gf, 1, 2)  
  
  f <- file("rmongodb.pdf.chunks12", "wb")  
  while (mongo.cursor.next(cursor)) {  
    chunk <- mongo.cursor.value(cursor)  
    iter <- mongo.bson.find(chunk, "data")  
  
    # write the binary (raw) data to the file  
    writeBin(mongo.bson.iterator.value(iter), f)  
  }  
  close(f)  
  mongo.gridfile.destroy(gf)  
  mongo.gridfs.destroy(gridfs)  
}
```

```
mongo.gridfile.get.content.type
```

Get the content type of a mongo.gridfile

Description

Get the MIME content type of a [mongo.gridfile](#).

Usage

```
mongo.gridfile.get.content.type(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

(string) The content.type (remote name) of gridfile. This may be an empty string if no content type is associated with the gridfile.

See Also

mongo.gridfs,
mongo.gridfs.find,
mongo.gridfile,
mongo.gridfile.get.descriptor,
mongo.gridfile.get.filename,
mongo.gridfile.get.length,
mongo.gridfile.get.chunk.size,
mongo.gridfile.get.chunk.count,
mongo.gridfile.get.upload.date,
mongo.gridfile.get.md5,
mongo.gridfile.get.metadata,
mongo.gridfile.get.chunk,
mongo.gridfile.get.chunks,
mongo.gridfile.read,
mongo.gridfile.seek,
mongo.gridfile.pipe.

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(mongo.gridfile.get.content.type(gf))

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfile.get.descriptor

Get the descriptor of a mongo.gridfile

Description

Get the descriptor of a [mongo.gridfile](#). This descriptor is the document describing the given gridfile as stored on the MongoDB server in the 'files' collection of the GridFS .

See <http://www.mongodb.org/display/DOCS/GridFS+Specification>.

Usage

```
mongo.gridfile.get.descriptor(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

([mongo.bson](#)) The descriptor of gridfile.

See Also

mongo.gridfs,
mongo.gridfs.find,
mongo.gridfile,
mongo.gridfile.get.filename,
mongo.gridfile.get.length,
mongo.gridfile.get.chunk.size,
mongo.gridfile.get.chunk.count,
mongo.gridfile.get.content.type,
mongo.gridfile.get.upload.date,
mongo.gridfile.get.md5,
mongo.gridfile.get.metadata,
mongo.gridfile.get.chunk,
mongo.gridfile.get.chunks,
mongo.gridfile.read,
mongo.gridfile.seek,
mongo.gridfile.pipe.

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(mongo.gridfile.get.descriptor(gf))

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfile.get.filename

Get the filename of a mongo.gridfile

Description

Get the filename of a [mongo.gridfile](#). This is the 'remote name' that is used identify the file on the server.

Usage

```
mongo.gridfile.get.filename(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

(string) The filename (remote name) of gridfile

See Also

```
mongo.gridfs,  
mongo.gridfs.find,  
mongo.gridfile,  
mongo.gridfile.get.descriptor,  
mongo.gridfile.get.length,  
mongo.gridfile.get.chunk.size,  
mongo.gridfile.get.chunk.count,  
mongo.gridfile.get.content.type,  
mongo.gridfile.get.upload.date,  
mongo.gridfile.get.md5,  
mongo.gridfile.get.metadata,  
mongo.gridfile.get.chunk,  
mongo.gridfile.get.chunks,  
mongo.gridfile.read,  
mongo.gridfile.seek,  
mongo.gridfile.pipe.
```

Examples

```
mongo <- mongo.create()  
if (mongo.is.connected(mongo)) {  
  gridfs <- mongo.gridfs.create(mongo, "grid")  
  
  # find a GridFS file uploaded midnight July 4, 2008  
  buf <- mongo.bson.buffer.create()  
  mongo.bson.buffer.append(buf, "uploadDate",  
    strptime("07-04-2008", "%m-%d-%Y"))  
  query <- mongo.bson.from.buffer(buf)  
  
  gf <- mongo.gridfs.find(gridfs, query)  
  if (!is.null(gf)) {  
    print(mongo.gridfile.get.filename(gf))  
  
    mongo.gridfile.destroy(gf)  
  }  
  mongo.gridfs.destroy(gridfs)  
}
```

mongo.gridfile.get.length

Get the length of a mongo.gridfile

Description

Get the length of a [mongo.gridfile](#).

Usage

```
mongo.gridfile.get.length(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

(double) The length of gridfile.

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.chunk.size](#),
[mongo.gridfile.get.chunk.count](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.upload.date](#),
[mongo.gridfile.get.md5](#),
[mongo.gridfile.get.metadata](#),
[mongo.gridfile.get.chunk](#),
[mongo.gridfile.get.chunks](#),
[mongo.gridfile.read](#),
[mongo.gridfile.seek](#),
[mongo.gridfile.pipe](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(mongo.gridfile.get.length(gf))

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfile.get.md5

Get the MD5 hash of a mongo.gridfile

Description

Get the MD5 hash of a [mongo.gridfile](#).

Usage

```
mongo.gridfile.get.md5(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

(string) The MD5 hash (32 hex digits) of gridfile.

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.length](#),
[mongo.gridfile.get.chunk.size](#),
[mongo.gridfile.get.chunk.count](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.upload.date](#),
[mongo.gridfile.get.metadata](#),
[mongo.gridfile.get.chunk](#),
[mongo.gridfile.get.chunks](#),
[mongo.gridfile.read](#),
[mongo.gridfile.seek](#),
[mongo.gridfile.pipe](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(mongo.gridfile.get.md5(gf))

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfile.get.metadata

Get the metadata of a mongo.gridfile

Description

Get the metadata of a [mongo.gridfile](#). Some applications may store metadata pertaining to a GridFS file in the "metadata" field of the descriptor. (See [mongo.gridfile.get.descriptor\(\)](#)). This function retrieves that field as a [mongo.bson](#) object.

Usage

```
mongo.gridfile.get.metadata(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

([mongo.bson](#)) The metadata of gridfile if present; otherwise, NULL.

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.length](#),
[mongo.gridfile.get.chunk.size](#),
[mongo.gridfile.get.chunk.count](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.upload.date](#),
[mongo.gridfile.get.md5](#),
[mongo.gridfile.get.chunk](#),
[mongo.gridfile.get.chunks](#),
[mongo.gridfile.read](#),
[mongo.gridfile.seek](#),
[mongo.gridfile.pipe](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(mongo.gridfile.get.metadata(gf))

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
```

```
mongo.gridfile.get.upload.date
```

Get the upload date of a mongo.gridfile

Description

Get the upload date of a [mongo.gridfile](#).

Usage

```
mongo.gridfile.get.upload.date(gridfile)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.

Value

(POSIXct) The upload date/time of gridfile.

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.length](#),
[mongo.gridfile.get.chunk.size](#),
[mongo.gridfile.get.chunk.count](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.md5](#),
[mongo.gridfile.get.metadata](#),
[mongo.gridfile.get.chunk](#),
[mongo.gridfile.get.chunks](#),
[mongo.gridfile.read](#),
[mongo.gridfile.seek](#),
[mongo.gridfile.pipe](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(mongo.gridfile.get.upload.date(gf))

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
  
```

`mongo.gridfile.pipe` *Pipe a mongo.gridfile to an R connection*

Description

Pipe a `mongo.gridfile` to an R connection. This outputs the entire GridFS file to a connection. If the connection is open, it must be in binary output mode; otherwise, the connection is opened in binary output mode and closed afterwards.

Usage

```
mongo.gridfile.pipe(gridfile, con)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.
con (connection) An R connection object.

Value

NULL

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.length](#),
[mongo.gridfile.get.chunk.size](#),
[mongo.gridfile.get.chunk.count](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.upload.date](#),
[mongo.gridfile.get.md5](#),
[mongo.gridfile.get.metadata](#),
[mongo.gridfile.get.chunk](#),
[mongo.gridfile.get.chunks](#),
[mongo.gridfile.read](#),
[mongo.gridfile.seek](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "rmongodb.pdf")
  if (!is.null(gf)) {
    f <- file("mongodb_copy.pdf")
    mongo.gridfile.pipe(gf, f)
  }

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfile.read *Read raw data from a mongo.gridfile*

Description

Read raw data from a [mongo.gridfile](#). The data read may span multiple chunks.

A [mongo.gridfile](#) file maintains a current read position which is advanced by the size of each read. This position is initially at offset 0.

Since this function returns raw data, you may want to use R's `readBin()` to unpack it.

Usage

```
mongo.gridfile.read(gridfile, size)
```

Arguments

gridfile	A (mongo.gridfile) object.
size	(as.double) The number of bytes to read.

Value

(raw) The data read from `emphgridfile`. The length of this vector may be less than the requested size if there was not enough data remaining to be read. This length could also be 0 if an error occurred during the operation. Check `mongo.get.err()` of the associated mongo connection object in this case.

See Also

```
mongo.gridfs,  
mongo.gridfs.find,  
mongo.gridfile,  
mongo.gridfile.get.descriptor,  
mongo.gridfile.get.filename,  
mongo.gridfile.get.length,  
mongo.gridfile.get.chunk.size,  
mongo.gridfile.get.chunk.count,  
mongo.gridfile.get.content.type,  
mongo.gridfile.get.upload.date,  
mongo.gridfile.get.md5,  
mongo.gridfile.get.metadata,  
mongo.gridfile.get.chunk,  
mongo.gridfile.get.chunks,  
mongo.gridfile.seek,  
mongo.gridfile.pipe.
```

Examples

```
mongo <- mongo.create()  
if (mongo.is.connected(mongo)) {  
  gridfs <- mongo.gridfs.create(mongo, "grid")  
  
  gf <- mongo.gridfs.find(gridfs, "rmongodb.pdf")  
  mongo.gridfile.seek(gf, 256*256*5)  
  data <- mongo.gridfile.read(gf, 16384)  
  
  mongo.gridfile.destroy(gf)  
  mongo.gridfs.destroy(gridfs)  
}
```

mongo.gridfile.seek *Seek to a position in a mongo.gridfile*

Description

Seek to a position in a [mongo.gridfile](#).

This sets the position at which the next [mongo.gridfile.read\(\)](#) will start.

Usage

```
mongo.gridfile.seek(gridfile, offset)
```

Arguments

gridfile A ([mongo.gridfile](#)) object.
offset (as.double) The position to which to seek.

Value

(double) The position set. This may be at the length of the GridFS file if offset was greater than that.

See Also

[mongo.gridfs](#),
[mongo.gridfs.find](#),
[mongo.gridfile](#),
[mongo.gridfile.get.descriptor](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfile.get.length](#),
[mongo.gridfile.get.chunk.size](#),
[mongo.gridfile.get.chunk.count](#),
[mongo.gridfile.get.content.type](#),
[mongo.gridfile.get.upload.date](#),
[mongo.gridfile.get.md5](#),
[mongo.gridfile.get.metadata](#),
[mongo.gridfile.get.chunk](#),
[mongo.gridfile.get.chunks](#),
[mongo.gridfile.read](#),
[mongo.gridfile.pipe](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "rmongodb.pdf")
  mongo.gridfile.seek(gf, 256*256*5)
  data <- mongo.gridfile.read(gf, 16384)

  mongo.gridfile.destroy(gf)
}
```

```

    mongo.gridfs.destroy(gridfs)
}

```

mongo.gridfile.writer *The mongo.gridfile.writer class*

Description

Objects of class "mongo.gridfile.writer" are used to buffer multiple writes to a single GridFS file.

Use `mongo.gridfile.writer.create` to create an object of this class, `mongo.gridfile.writer.write` to write data to it, and `mongo.gridfile.writer.finish` when done writing.

mongo.gridfile.writer objects have "mongo.gridfile.writer" as their class and contain an externally managed pointer to the actual data used to manage operations on the GridFS. This pointer is stored in the "mongo.gridfile" attribute of the object. The object also has a "mongo.gridfs" attribute holding a pointer to the mongo.gridfs object used in creation to prevent garbage collection on the mongo.gridfs object while the mongo.gridfile.writer is still active.

See Also

[mongo.gridfs](#),
[mongo.gridfile.writer.create](#),
[mongo.gridfile.writer.write](#),
[mongo.gridfile.writer.finish](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gfw <- mongo.gridfile.writer.create(gridfs, "test.dat")

  # store 4 bytes
  mongo.gridfile.writer.write(gfw, charToRaw("test"))

  # store string & LF plus 0-byte terminator
  buf <- writeBin("Test\n", as.raw(1))
  mongo.gridfile.writer.write(gfw, buf)

  # store PI as a float
  buf <- writeBin(3.1415926, as.raw(1), size=4, endian="little")
  mongo.gridfile.writer.write(gfw, buf)

  mongo.gridfile.writer.finish(gfw)
  mongo.gridfs.destroy(gridfs)
}

```

`mongo.gridfile.writer.create`*Create a mongo.gridfile.writer object*

Description

Create a `mongo.gridfile.writer` object used to buffer many writes to a single GridFS file. Once the `mongo.gridfile.writer` is created, use `mongo.gridfile.writer.write()` to write data to the buffered GridFS file and `mongo.gridfile.writer.finish()` when done.

Usage

```
mongo.gridfile.writer.create(gridfs, remotename, contenttype="")
```

Arguments

<code>gridfs</code>	A (<code>mongo.gridfs</code>) object.
<code>remotename</code>	(string) The name the file will be known as within the GridFS.
<code>contenttype</code>	(string) Optional MIME content type.

Value

(`mongo.gridfile.writer`) The object to be used for writing to the GridFS file.

See Also

`mongo.gridfs`,
`mongo.gridfs.create`,
`mongo.gridfile.writer.write`,
`mongo.gridfile.writer.finish`.

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gfw <- mongo.gridfile.writer.create(gridfs, "test.dat")

  # store 4 bytes
  mongo.gridfile.writer.write(gfw, charToRaw("test"))

  # store string & LF plus 0-byte terminator
  buf <- writeBin("Test\n", as.raw(1))
  mongo.gridfile.writer.write(gfw, buf)

  # store PI as a float
  buf <- writeBin(3.1415926, as.raw(1), size=4, endian="little")
  mongo.gridfile.writer.write(gfw, buf)

  mongo.gridfile.writer.finish(gfw)
  mongo.gridfs.destroy(gridfs)
}
```

`mongo.gridfile.writer.finish`*Finish writing to a buffered GridFS file*

Description

Finish writing to a buffered GridFS file. This function flushes any partial buffer and finalizes the operation.

Usage

```
mongo.gridfile.writer.finish(gfw)
```

Arguments

`gfw` A ([mongo.gridfile.writer](#)) object.

Value

TRUE, if successful; false, if an error occurred.

See Also

[mongo.gridfs](#),
[mongo.gridfile.writer.create](#),
[mongo.gridfile.writer](#),
[mongo.gridfile.writer.write](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gfw <- mongo.gridfile.writer.create(gridfs, "test.dat")

  # store 4 bytes
  mongo.gridfile.writer.write(gfw, charToRaw("test"))

  # store string & LF plus 0-byte terminator
  buf <- writeBin("Test\n", as.raw(1))
  mongo.gridfile.writer.write(gfw, buf)

  # store PI as a float
  buf <- writeBin(3.1415926, as.raw(1), size=4, endian="little")
  mongo.gridfile.writer.write(gfw, buf)

  mongo.gridfile.writer.finish(gfw)
  mongo.gridfs.destroy(gridfs)
}
```

`mongo.gridfile.writer.write`*Write raw data to a buffered GridFS file*

Description

Write raw data to a buffered GridFS file. The data is buffered and sent to the server in 256k chunks as it accumulates.

This function only handles the RAW type. Use `writeBin()` as necessary to pack your data appropriately for storage. See the examples and R's documentation on `writeBin()`.

Use `mongo.gridfs.store()` when you only need to write one data packet as a complete GridFS file.

Usage

```
mongo.gridfile.writer.write(gfw, raw)
```

Arguments

<code>gfw</code>	A (<code>mongo.gridfile.writer</code>) object.
<code>raw</code>	(raw) The data to write to the GridFS file.

Value

NULL

See Also

[mongo.gridfs](#),
[mongo.gridfile.writer.create](#),
[mongo.gridfile.writer](#),
[mongo.gridfile.writer.finish](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gfw <- mongo.gridfile.writer.create(gridfs, "test.dat")

  # store 4 bytes
  mongo.gridfile.writer.write(gfw, charToRaw("test"))

  # store string & LF plus 0-byte terminator
  buf <- writeBin("Test\n", as.raw(1))
  mongo.gridfile.writer.write(gfw, buf)

  # store PI as a float
  buf <- writeBin(3.1415926, as.raw(1), size=4, endian="little")
  mongo.gridfile.writer.write(gfw, buf)
```

```

    mongo.gridfile.writer.finish(gfw)

    mongo.gridfs.destroy(gridfs)
}

```

mongo.gridfs

The mongo.gridfs class

Description

Objects of class "mongo.gridfs" are used to store and/or access a "Grid File System" (GridFS) on a MongoDB server. While primarily intended to store large documents that won't fit on the server as a single BSON object, GridFS may also be used to store large numbers of smaller files.

See <http://www.mongodb.org/display/DOCS/GridFS> and <http://www.mongodb.org/display/DOCS/When+to+use+GridFS>.

mongo.gridfs objects have "mongo.gridfs" as their class and contain an externally managed pointer to the actual data used to manage operations on the GridFS.

This pointer is stored in the "mongo.gridfs" attribute of the object. The object also has a "mongo" attribute holding a pointer to the mongo connection object used in creation to prevent garbage collection on the mongo object while the mongo.gridfile is still active.

Objects of class "[mongo.gridfile](#)" are used to access gridfiles and read from them.

Objects of class "[mongo.gridfile.writer](#)" are used to write data to the GridFS.

See Also

[mongo.gridfs.destroy](#),
[mongo.gridfs.store.file](#),
[mongo.gridfs.remove.file](#),
[mongo.gridfs.store](#),
[mongo.gridfile.writer.create](#),
[mongo.gridfs.find](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")
  # Copy a local file to the server as a GridFS file
  mongo.gridfs.store.file(gridfs, "../test.R", "test.R")

  # locate the file on the server
  gf <- mongo.gridfs.find(gridfs, "test.R")
  print(gf)
  # and pipe it to an R connection object
  test.R <- file("test2.R")
  mongo.gridfile.pipe(gf, test.R)

  mongo.gridfile.destroy(gf)
  mongo.gridfs.destroy(gridfs)
}

```

mongo.gridfs.create *Create a mongo.gridfs object*

Description

Create a [mongo.gridfs](#) object used to access and store "grid files" on the MongoDB server.

Usage

```
mongo.gridfs.create(mongo, db, prefix="fs")
```

Arguments

mongo	A (mongo) connection object.
db	(string) The name of the database in which to access and/or store the gridfs-related collections.
prefix	(string) The prefix to use constructing the gridfs-related collection names. There are two collections used for this purpose: <code>"db.prefix.files"</code> and <code>"db.prefix.chunks"</code> .

Value

([mongo.gridfs](#)) An object to be used for subsequent operations on the grid file store.

See Also

[mongo.gridfs](#),
[mongo.gridfs.destroy](#),
[mongo.gridfs.store.file](#),
[mongo.gridfs.remove.file](#),
[mongo.gridfs.store](#),
[mongo.gridfile.writer.create](#),
[mongo.gridfs.find](#), [link{mongo.shorthand}](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")
  # Copy a local file to the server as a gridfs file
  mongo.gridfs.store.file(gridfs, "../test.R", "test.R")
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfs.destroy *Destroy a mongo.gridfs object*

Description

Releases the resources associated with a [mongo.gridfs](#) object.

It is not absolutely necessary to call this function since R's garbage collection will eventually get around to doing it for you.

Usage

```
mongo.gridfs.destroy(gridfs)
```

Arguments

gridfs A ([mongo.gridfs](#)) object.

Value

NULL

See Also

[mongo.gridfs](#),
[mongo.gridfs.create](#),
[mongo.gridfs.store.file](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")
  # Copy a local file to the server as a gridfs file
  mongo.gridfs.store.file(gridfs, "../test.R", "test.R")
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfs.find *Find a GridFS file*

Description

Find a GridFS file and return a [mongo.gridfile](#) object used for further operations on it

Usage

```
mongo.gridfs.find(gridfs, query)
```

Arguments

gridfs	A (mongo.gridfs) object.
query	(string) The name of the GridFS file to locate. This parameter may also be a mongo.bson query object and is used to search the GridFS "files" collection documents for matches. Alternately, query may be a list which will be converted to a mongo.bson object by mongo.bson.from.list() .

Value

NULL, if not found; otherwise, a [mongo.gridfile](#) object corresponding to the found GridFS file.

See Also

[mongo.gridfile](#),
[mongo.gridfile.get.filename](#),
[mongo.gridfs](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")

  gf <- mongo.gridfs.find(gridfs, "test.dat")
  print(mongo.gridfile.get.length(gf))

  # find a GridFS file uploaded midnight July 4, 2008
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "uploadDate",
    strptime("07-04-2008", "%m-%d-%Y"))
  query <- mongo.bson.from.buffer(buf)
  gf <- mongo.gridfs.find(gridfs, query)

  if (!is.null(gf))
    print(mongo.gridfile.get.filename(gf))

  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfs.remove.file

Remove a file from a GridFS on a MongoDB server

Description

Remove a file from a GridFS on a MongoDB server.

Usage

```
mongo.gridfs.remove.file(gridfs, remotename)
```

Arguments

gridfs	A (mongo.gridfs) object.
remotename	(string) The name of the file to be removed (as known within the GridFS).

Value

NULL

See Also

[mongo.gridfs](#),
[mongo.gridfs.store.file](#)
[mongo.gridfs.store](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")
  ## Not run: mongo.gridfs.remove.file(gridfs, "test.R")
  mongo.gridfs.destroy(gridfs)
}
```

mongo.gridfs.store	<i>Store raw data as a file in a GridFS</i>
--------------------	---

Description

Store raw data as a file to a GridFS on a MongoDB server. This function stores the entire piece of data file on the server, breaking it up into 256K chunks as necessary.

This function only handles the RAW type. Use `writeBin()` as necessary to pack your data appropriately for storage. See the examples and R's documentation on `writeBin()`.

Use [mongo.gridfile.writer](#) when you need to buffer many writes to a GridFS file.

Usage

```
mongo.gridfs.store(gridfs, raw, remotename, contenttype="")
```

Arguments

gridfs	A (mongo.gridfs) object.
raw	(raw) The data to store on the server.
remotename	(string) The name the file will be known as within the GridFS.
contenttype	(string) Optional MIME content type.

Value

TRUE, if successful; FALSE, if an error occurred during the operation.

See Also

[mongo.gridfs](#),
[mongo.gridfs.create](#),
[mongo.gridfs.remove.file](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")
  # store 4 bytes
  mongo.gridfs.store(gridfs, charToRaw("test"), "test4.dat")

  # store string & LF plus 0-byte terminator
  buf <- writeBin("Test\n", as.raw(1))
  mongo.gridfs.store(gridfs, buf, "test6.dat")

  # store PI as a float
  buf <- writeBin(3.1415926, as.raw(1), size=4, endian="little")
  mongo.gridfs.store(gridfs, buf, "PI.dat")

  mongo.gridfs.destroy(gridfs)
}

```

mongo.gridfs.store.file

Store a file into a GridFS on a MongoDB server

Description

Store a file into a GridFS on a MongoDB server. This function stores the entire given file on the server, breaking it up into 256K chunks as necessary.

Usage

```

mongo.gridfs.store.file(gridfs, filename, remotename="",
                        contenttype="")

```

Arguments

gridfs	A (mongo.gridfs) object.
filename	(string) The path/filename of the file to copy to the server.
remotename	(string) The name the file will be known as within the GridFS. If remotename=="" (the default), the remote file will be known by the given filename.
contenttype	(string) Optional MIME content type.

Value

TRUE, if successful; FALSE, if an error occurred during the operation.

See Also

[mongo.gridfs](#),
[mongo.gridfs.create](#),
[mongo.gridfs.remove.file](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  gridfs <- mongo.gridfs.create(mongo, "grid")
  # Copy a local file to the server as a gridfs file
  mongo.gridfs.store.file(gridfs, "../test.R", "test.R")
  mongo.gridfs.destroy(gridfs)
}
```

mongo.index.background

mongo.index.create flag constant - background

Description

[mongo.index.create\(\)](#) flag constant - background.

Usage

mongo.index.background

Value

8L

mongo.index.create *Add an index to a collection*

Description

Add an index to a collection.

See <http://www.mongodb.org/display/DOCS/Indexes>.

Usage

mongo.index.create(mongo, ns, key, options=0L)

Arguments

mongo	(mongo) A mongo connection object.
ns	(string) The namespace of the collection to which to add an index.
key	An object enumerating the fields in order which are to participate in the index. This object may be a vector of strings listing the key fields or a mongo.bson object containing the key fields in the desired order. Alternately, key may be a list which will be converted to a mongo.bson object by mongo.bson.from.list() .
options	(integer vector) Optional flags governing the operation: <ul style="list-style-type: none"> • mongo.index.unique • mongo.index.drop.dups • mongo.index.background • mongo.index.sparse

Value

NULL if successful; otherwise, a [mongo.bson](#) object describing the error. [mongo.get.server.err\(\)](#) or [mongo.get.server.err.string\(\)](#) may alternately be called in this case instead of examining the returned object.

See Also

[mongo.find](#),
[mongo.find.one](#),
[mongo.insert](#),
[mongo.update](#),
[mongo.remove](#),
[mongo](#),
[mongo.bson](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  # Add a city index to collection people in database test
  b <- mongo.index.create(mongo, "test.people", "city")
  if (!is.null(b)) {
    print(b)
    stop("Server error")
  }

  # Add an index to collection people in database test
  # which will speed up queries of age followed by name
  b <- mongo.index.create(mongo, "test.people", c("age", "name"))

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "age", 1L)
  mongo.bson.buffer.append(buf, "name", 1L)
  key <- mongo.bson.from.buffer(buf)

  # add an index using an alternate method of specifying the key fields
  b <- mongo.index.create(mongo, "test.people", key)
```

```

# create an index using list of that enumerates the key fields
b <- mongo.index.create(mongo, "test.cars", list(make=1L, model=1L))
}

```

mongo.index.drop.dups *mongo.index.create flag constant - drop duplicate keys*

Description

`mongo.index.create()` flag constant - drop duplicate keys.

Usage

mongo.index.drop.dups

Value

4L

mongo.index.sparse *mongo.index.create flag constant - sparse*

Description

`mongo.index.create()` flag constant - sparse.

Usage

mongo.index.sparse

Value

16L

mongo.index.unique *mongo.index.create flag constant - unique keys*

Description

`mongo.index.create()` flag constant - unique keys (no duplicates).

Usage

mongo.index.unique

Value

1L

mongo.insert	<i>Add record to a collection</i>
--------------	-----------------------------------

Description

Add record to a collection.

See <http://www.mongodb.org/display/DOCS/Inserting>.

Usage

```
mongo.insert(mongo, ns, b)
```

Arguments

mongo	(mongo) a mongo connection object.
ns	(string) namespace of the collection to which to add the record.
b	(mongo.bson) The record to add. In addition, b may be a list which will be converted to a mongo.bson object by mongo.bson.from.list() .

Value

TRUE if the command was successfully sent to the server; otherwise, FALSE.

[mongo.get.last.err\(\)](#) may be examined to verify that the insert was successful on the server if necessary.

See Also

[mongo.insert.batch](#),
[mongo.update](#),
[mongo.find](#),
[mongo.find.one](#),
[mongo.remove](#),
[mongo.bson](#),
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  ns <- "test.people"

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "Joe")
  mongo.bson.buffer.append(buf, "age", 22L)
  b <- mongo.bson.from.buffer(buf)
  mongo.insert(mongo, ns, b)

  # do the same thing in shorthand:
  mongo.insert(mongo, ns, list(name="Joe", age=22L))
}
```

mongo.insert.batch *Add multiple records to a collection*

Description

Add multiple records to a collection. This function eliminates some network traffic and server overhead by sending all the records in a single message.

See <http://www.mongodb.org/display/DOCS/Inserting>.

Usage

```
mongo.insert.batch(mongo, ns, lst)
```

Arguments

mongo (mongo) a mongo connection object.
ns (string) namespace of the collection to which to add the record.
lst A list of (mongo.bson) records to add.

Value

TRUE if the command was successfully sent to the server; otherwise, FALSE.

`mongo.get.last.err()` may be examined to verify that the insert was successful on the server if necessary.

See Also

[mongo.insert](#),
[mongo.update](#),
[mongo.find](#),
[mongo.find.one](#),
[mongo.remove](#),
[mongo.bson](#),
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  ns <- "test.people"

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "Dave")
  mongo.bson.buffer.append(buf, "age", 27L)
  x <- mongo.bson.from.buffer(buf)

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "Fred")
  mongo.bson.buffer.append(buf, "age", 31L)
  y <- mongo.bson.from.buffer(buf)
```

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "name", "Silvia")
mongo.bson.buffer.append(buf, "city", 24L)
z <- mongo.bson.from.buffer(buf)
mongo.insert.batch(mongo, ns, list(x, y, z))
}
```

mongo.is.connected *Determine if a mongo object is connected to a MongoDB server*

Description

Returns TRUE if the parameter mongo object is connected to a MongoDB server; otherwise, FALSE.

Usage

```
mongo.is.connected(mongo)
```

Arguments

mongo ([mongo](#)) a mongo connection object.

Value

Logical TRUE if the mongo connection object is currently connected to a server; otherwise, FALSE.

See Also

[mongo.create](#),
[mongo.](#)

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  print(mongo.count(mongo, "test.people"))
}
```

mongo.is.master *Determine if a mongo connection object is connected to a master*

Description

Determine if a mongo connection object is connected to a master. Normally, this is only used with replsets to see if we are currently connected to the master of the replset. However, when connected to a singleton, this function reports TRUE also.

Usage

```
mongo.is.master(mongo)
```

Arguments

mongo ([mongo](#)) a mongo connection object.

Value

(logical) TRUE if the server reports that it is a master; otherwise, FALSE.

See Also

[mongo.create](#),
[mongo](#).

Examples

```
mongo <- mongo.create(c("127.0.0.1", "192.168.0.3"), name="Accounts")
if (mongo.is.connected(mongo)) {
  print("isMaster")
  print(if (mongo.is.master(mongo)) "Yes" else "No")
}
```

mongo.oid

The mongo.oid class

Description

Objects of class "mongo.oid" represent MongoDB Object IDs.

See <http://www.mongodb.org/display/DOCS/Object+IDs>

mongo.oid objects contain an externally managed pointer to the actual 12-byte object ID data. This pointer is stored in the "mongo.oid" attribute of the object.

mongo.oid objects have "mongo.oid" as their class so that [mongo.bson.buffer.append\(\)](#) may detect them and append the appropriate BSON OID-typed value to a buffer.

mongo.oid values may also be present in a list and will be handled properly by [mongo.bson.buffer.append.list\(\)](#) and [mongo.bson.from.list\(\)](#).

See Also

[mongo.oid](#),
[mongo.oid.from.string](#),
[as.character.mongo.oid](#),
[mongo.oid.to.string](#),
[mongo.oid.time](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.oid](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
oid <- mongo.oid.create()
mongo.bson.buffer.append(buf, "_id", oid)
b <- mongo.bson.from.buffer(buf)
```

mongo.oid.create	<i>Create a mongo.oid object</i>
------------------	----------------------------------

Description

Create a `mongo.oid` object for appending to a buffer with `mongo.bson.buffer.append.oid()` or `mongo.bson.buffer.append()`, or for embedding in a list such that `mongo.bson.buffer.append.list()` will properly insert an Object ID value into a `mongo.bson.buffer` object.

See <http://www.mongodb.org/display/DOCS/Object+IDs>

Usage

```
mongo.oid.create()
```

Value

A `mongo.oid` object that is reasonably assured of being unique.

See Also

`mongo.oid`,
`mongo.oid.from.string`,
`as.character.mongo.oid`,
`mongo.oid.to.string`,
`mongo.bson.buffer.append`,
`mongo.bson.buffer.append.oid`,
`mongo.bson.buffer.append.list`,
`mongo.bson.buffer`,
`mongo.bson`.

Examples

```
buf <- mongo.bson.buffer.create()
oid <- mongo.oid.create()
mongo.bson.buffer.append(buf, "_id", oid)
b <- mongo.bson.from.buffer(buf)
```

mongo.oid.from.string *Create a mongo.oid object from a string*

Description

Create from a 24-character hex string a mongo.oid object representing a MongoDB Object ID.

See <http://www.mongodb.org/display/DOCS/Object+IDs>

Usage

```
mongo.oid.from.string(hexstr)
```

Arguments

hexstr (string) 24 hex characters representing the OID.

Note that although an error is thrown if the length is not 24, no error is thrown if the characters are not hex digits; you'll get zero bits for the invalid digits.

Value

A `mongo.oid` object constructed from hexstr.

See Also

`mongo.oid`,
`mongo.oid.create`,
`as.character.mongo.oid`,
`mongo.oid.to.string`,
`mongo.bson.buffer.append`,
`mongo.bson.buffer.append.oid`,
`mongo.bson.buffer.append.list`,
`mongo.bson.buffer`,
`mongo.bson`.

Examples

```
buf <- mongo.bson.buffer.create()
oid <- mongo.oid.from.string("ABCD1234EFAB5678CDEF9012")
mongo.bson.buffer.append(buf, "_id", oid)
b <- mongo.bson.from.buffer(buf)
```

mongo.oid.print	<i>Display a mongo.oid object</i>
-----------------	-----------------------------------

Description

Display formatted output of a [mongo.oid](#) object.

This version is an alias of [print.mongo.oid\(\)](#) which allows print() to properly handle the mongo.oid class.

Usage

```
mongo.oid.print(x)
```

Arguments

x [mongo.oid](#) The object to display.

Value

The parameter is returned unchanged.

See Also

[mongo.oid.print](#),
[mongo.oid.to.string](#),
[mongo.bson.oid](#),
[mongo.bson](#).

Examples

```
oid <- mongo.oid.create()

# all display the same thing
print.mongo.oid(oid)
mongo.oid.print(oid)
print(oid)
```

mongo.oid.time	<i>Get an Object ID's time</i>
----------------	--------------------------------

Description

Get the 32-bit UTC time portion of an OID (Object ID).

See <http://www.mongodb.org/display/DOCS/Object+IDs>

Usage

```
mongo.oid.time(oid)
```

Arguments

oid ([mongo.oid](#)) The OID to be examined.

Value

(integer) ("POSIXct") The time portion of the given oid.

See Also

[mongo.oid](#),
[mongo.oid.create](#),
[as.character.mongo.oid](#),
[mongo.oid.to.string](#),
[mongo.oid.from.string](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.oid](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
oid <- mongo.oid.create()
print(mongo.oid.time(oid))
```

`mongo.oid.to.string` *Convert a mongo.oid object to a string*

Description

Convert a [mongo.oid](#) object to a string of 24 hex digits. This performs the inverse operation of [mongo.oid.from.string\(\)](#).

This function is an alias of [as.character.mongo.oid\(\)](#) which you may prefer to use since the class mechanism of R allows that to be called simply by `as.character(oid)`.

See <http://www.mongodb.org/display/DOCS/Object+IDs>

Usage

```
mongo.oid.to.string(oid)
```

Arguments

oid ([mongo.oid](#)) The OID to be converted.

Value

(string) A string of 24 hex digits representing the bits of oid.

See Also

[mongo.oid](#),
[mongo.oid.create](#),
[as.character.mongo.oid](#),
[mongo.oid.from.string](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.oid](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
oid <- mongo.oid.create()
print(mongo.oid.to.string(oid))
print(as.character(oid)) # print same thing as above line
```

`mongo.reconnect`*Reconnect to a MongoDB server*

Description

Reconnect to a MongoDB server. Calls `mongo.disconnect` and then attempts to re-establish the connection.

Usage

```
mongo.reconnect(mongo)
```

Arguments

`mongo` ([mongo](#)) a mongo connection object.

See Also

[mongo.create](#),
[mongo.disconnect](#),
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo))
  mongo.reconnect(mongo)
```

 mongo.regex

The mongo.regex class

Description

Objects of class "mongo.regex" represent regular expressions and are strings with the options value stored in the "options" attribute.

See <http://www.mongodb.org/display/DOCS/Advanced+Queries#AdvancedQueries-RegularExpressions>

mongo.regex objects have "mongo.regex" as their class so that `mongo.bson.buffer.append()` may detect them and append the appropriate BSON regex-typed value to a buffer.

These mongo.regex values may also be present in a list and will be handled properly by `mongo.bson.buffer.append.list()` and `mongo.bson.from.list()`.

See Also

[mongo.regex.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
regex <- mongo.regex.create("acme.*corp", options="i")
mongo.bson.buffer.append.regex(buf, "MatchAcme", regex)
b <- mongo.bson.from.buffer(buf)
```

 mongo.regex.create

Create a mongo.regex object

Description

Create a [mongo.regex](#) object for appending to a buffer with `mongo.bson.buffer.append.regex()` or `mongo.bson.buffer.append()`, or for embedding in a list such that `mongo.bson.buffer.append.list()` will properly insert a regular expression value into a mongo.bson.buffer object.

See <http://www.mongodb.org/display/DOCS/Advanced+Queries#AdvancedQueries-RegularExpressions>

Usage

```
mongo.regex.create(pattern, options="")
```

Arguments

pattern (string) The regular expression.
 options (string) Options governing the parsing done with the pattern.

Value

A [mongo.regex](#) object

See Also

[mongo.regex](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.regex](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
regex <- mongo.regex.create("acme.*corp", options="i")
mongo.bson.buffer.append.regex(buf, "MatchAcme", regex)
b <- mongo.bson.from.buffer(buf)
```

mongo.remove

Remove records from a collection

Description

Remove all records from a collection that match a given criteria.

See <http://www.mongodb.org/display/DOCS/Removing>.

Usage

```
mongo.remove(mongo, ns, criteria=mongo.bson.empty())
```

Arguments

mongo ([mongo](#)) a mongo connection object.

ns (string) namespace of the collection from which to remove records.

criteria ([mongo.bson](#)) The criteria with which to match records that are to be removed. The default of `mongo.bson.empty()` will cause *all* records in the given collection to be removed. Alternately, `criteria` may be a list which will be converted to a `mongo.bson` object by [mongo.bson.from.list\(\)](#).

See Also

[mongo](#),
[mongo.bson](#),
[mongo.insert](#),
[mongo.update](#),
[mongo.find](#),
[mongo.find.one](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "Jeff")
  criteria <- mongo.bson.from.buffer(buf)

  # remove all records where name is "Jeff"
  # from collection people in database test
  mongo.remove(mongo, "test.people", criteria)

  # remove all records from collection cars in database test
  mongo.remove(mongo, "test.cars")

  # shorthand: remove all records where name is "Fred"
  mongo.remove(mongo, "test.people", list(name="Fred"))
}
```

mongo.rename

Rename a collection on a MongoDB server

Description

Rename a collection on a MongoDB server.

Note that this may also be used to move a collection from one database to another.

Usage

```
mongo.rename(mongo, from.ns, to.ns)
```

Arguments

mongo	(mongo) A mongo connection object.
from.ns	(string) The namespace of the collection to rename.
to.ns	(string) The new namespace of the collection.

Value

TRUE if successful; otherwise, FALSE.

See Also

[mongo.drop.database](#),
[mongo.drop](#),
[mongo.command](#),
[mongo.count](#),
[mongo](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  print(mongo.rename(mongo, "test.people", "test.humans"))

  mongo.destroy(mongo)
}

```

mongo.reset.err	<i>Retrieve an server error code from a mongo connection object</i>
-----------------	---

Description

Send a "reset error" command to the server, it also resets the values returned by [mongo.get.server.err\(\)](#) and [mongo.get.server.err.string\(\)](#).

Usage

```
mongo.reset.err(mongo, db)
```

Arguments

mongo	(mongo) a mongo connection object.
db	(string) The name of the database on which to reset the error status.

Value

NULL

See Also

[mongo.get.server.err](#),
[mongo.get.server.err.string](#),
[mongo.get.last.err](#),
[mongo.get.prev.err](#),
[mongo](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {

  # try adding a duplicate record when index doesn't allow this

  db <- "test"
  ns <- "test.people"
  mongo.index.create(mongo, ns, "name", mongo.index.unique)

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "John")
  mongo.bson.buffer.append(buf, "age", 22L)
  b <- mongo.bson.from.buffer(buf)
  mongo.insert(mongo, ns, b);
}

```

```
buf <- mongo.bson.buffer.create()
mongo.bson.buffer.append(buf, "name", "John")
mongo.bson.buffer.append(buf, "age", 27L)
b <- mongo.bson.from.buffer(buf)
mongo.insert(mongo, ns, b);

err <- mongo.get.last.err(mongo, db)
print(mongo.get.server.err(mongo))
print(mongo.get.server.err.string(mongo))
mongo.reset.err(mongo, db)
}
```

mongo.set.timeout	<i>Set the timeout value on a mongo connection</i>
-------------------	--

Description

Set the timeout value for network operations on a mongo connection. Subsequent network operations will timeout if they take longer than the given number of milliseconds.

Usage

```
mongo.set.timeout(mongo, timeout)
```

Arguments

mongo	(mongo) a mongo connection object.
timeout	(as.integer) number of milliseconds to which to set the timeout value.

See Also

[mongo.get.timeout](#),
[mongo.create](#),
[mongo](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  mongo.set.timeout(mongo, 2000L)
  timeout <- mongo.get.timeout(mongo)
  if (timeout != 2000L)
    error("expected timeout of 2000");
}
```

mongo.shorthand	<i>Define shorthand for BSON and GridFS</i>
-----------------	---

Description

Define shorthand names for BSON and GridFS functions and constants.

All symbols dealing with BSON and GridFS are defined by this function excluding the "mongo." prefix. They will still be available by the original names also. For clarity, the symbols in the mongo module (for communication with the server) are not shortened.

Usage

```
mongo.shorthand()
```

Value

TRUE

See Also

[mongo.bson](#),
[mongo.gridfs](#),
[mongo.bson.buffer.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson.from.buffer](#).

Examples

```
mongo.shorthand()  
buf <- bson.buffer.create()  
bson.buffer.append(buf, "name", "Alice")  
b <- bson.from.buffer(buf)
```

mongo.simple.command	<i>Issue a simple command to a database on MongoDB server</i>
----------------------	---

Description

Issue a simple command to a MongoDB server and return the response from the server.

This function supports many of the MongoDB database commands by allowing you to specify a simple command object which is entirely specified by the command name and an integer or string argument.

See <http://www.mongodb.org/display/DOCS/List+of+Database+Commands>.

Usage

```
mongo.simple.command(mongo, db, cmdstr, arg)
```

Arguments

mongo	(mongo) A mongo connection object.
db	(string) The name of the database upon which to perform the command.
cmdstr	(string) The name of the command.
arg	An argument to the command, may be a string or numeric (as.integer).

Value

NULL if the command failed. Use [mongo.get.last.err\(\)](#) to determine the cause.
[\(mongo.bson\)](#) The server's response if successful.

See Also

[mongo.command](#),
[mongo.rename](#),
[mongo.count](#),
[mongo.drop.database](#),
[mongo.drop](#),
[mongo](#),
[mongo.bson](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  print(mongo.simple.command(mongo, "admin", "buildInfo", 1))

  mongo.destroy(mongo)
}
```

mongo.symbol

The mongo.symbol class

Description

Objects of class "mongo.symbol" are used to represent symbol values in BSON documents.

mongo.symbol objects' value is a string representing the value of the symbol.

mongo.symbol objects have "mongo.symbol" as their class so that

[mongo.bson.buffer.append\(\)](#) may detect them and append the appropriate BSON symbol-typed value to a buffer.

These mongo.symbol values may also be present in a list and will be handled properly by [mongo.bson.buffer.append.list\(\)](#) and [mongo.bson.from.list\(\)](#).

See Also

[mongo.symbol.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
sym <- mongo.symbol.create("Beta")
mongo.bson.buffer.append(buf, "B", sym)
l <- list(s1 = sym, Two = 2)
mongo.bson.buffer.append.list(buf, "listWsym", l)
b <- mongo.bson.from.buffer(buf)

# the above will create a mongo.bson object of the following form:
# { "B": (SYMBOL) "Beta",
#   "listWsym" : { "s1" : (SYMBOL) "Beta",
#                 "Two" : 2 } }
```

mongo.symbol.create *Create a mongo.symbol object*

Description

Create a mongo.symbol object for appending to a buffer with [mongo.bson.buffer.append\(\)](#) or for embedding in a list such that [mongo.bson.buffer.append.list\(\)](#) will properly insert a symbol value into the mongo.bson.buffer object.

Usage

```
mongo.symbol.create(value)
```

Arguments

value (string) The value of the symbol

Value

a [mongo.symbol](#) object

See Also

[mongo.symbol](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
sym <- mongo.symbol.create("Alpha")
mongo.bson.buffer.append(buf, "A", sym)
lst <- list(s1 = sym, One = 1)
mongo.bson.buffer.append.list(buf, "listWsym", lst)
mongo.bson.buffer.append.symbol(buf, "D", "Delta")
b <- mongo.bson.from.buffer(buf)

# the above will create a mongo.bson object of the following form:
```

```
# { "A": (SYMBOL) "Alpha",
#   "listWsym" : { "a1" : (SYMBOL) "Alpha",
#                 "One" : 1 },
#   "D" : (SYMBOL) "Delta" }
```

mongo.timestamp

The mongo.timestamp class

Description

Objects of class "mongo.timestamp" are an extension of the POSIXct class. They have their increment value stored in the "increment" attribute of the object.

See <http://www.mongodb.org/display/DOCS/Timestamp+Data+Type>

mongo.timestamp objects have "mongo.timestamp", "POSIXct" & "POSIXt" as their class so that `mongo.bson.buffer.append()` may detect them and append the appropriate BSON code-typed value to a buffer.

These mongo.timestamp values may also be present in a list and will be handled properly by `mongo.bson.buffer.append.list()` and `mongo.bson.from.list()`.

See Also

[mongo.timestamp.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  # special Null timestamp -- automatically filled in
  # if one of first two fields in a record
  ts <- mongo.timestamp.create(0,0)
  mongo.bson.buffer.append(buf, "InsertTime", ts)
  mongo.bson.buffer.append(buf, "name", "Joe")
  b <- mongo.bson.from.buffer(buf)
  mongo.insert(mongo, "test.people", b)

  # create using a POSIXlt
  ts <- mongo.timestamp.create(strptime("05-12-2012",
    "%m-%d-%Y"), increment=1)
}
```

`mongo.timestamp.create`*Create a mongo.timestamp object*

Description

Create a `mongo.timestamp` object for appending to a buffer with `mongo.bson.buffer.append.timestamp()` or `mongo.bson.buffer.append()`, or for embedding in a list such that `mongo.bson.buffer.append.list()` will properly insert a timestamp value into the `mongo.bson.buffer` object.

See <http://www.mongodb.org/display/DOCS/Timestamp+Data+Type>

Usage

```
mongo.timestamp.create(time, increment)
```

Arguments

<code>time</code>	(integer) date/time value (milliseconds since UTC epoch). This may also be a "POSIXct" or "POSIXlt" class object.
<code>increment</code>	increment ordinal

Value

A `mongo.timestamp` object

See Also

`mongo.timestamp`,
`mongo.bson.buffer.append`,
`mongo.bson.buffer.append.time`,
`mongo.bson.buffer.append.list`,
`mongo.bson.buffer`,
`mongo.bson`.

Examples

```
mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  buf <- mongo.bson.buffer.create()
  # special Null timestamp -- automatically filled in
  # if one of first two fields in a record
  ts <- mongo.timestamp.create(0,0)
  mongo.bson.buffer.append(buf, "InsertTime", ts)
  mongo.bson.buffer.append(buf, "name", "Joe")
  b <- mongo.bson.from.buffer(buf)
  mongo.insert(mongo, "test.people", b)

  # create using a POSIXlt
  ts <- mongo.timestamp.create(strptime("05-12-2012",
    "%m-%d-%Y"), increment=1)
}
```

mongo.undefined *The mongo.undefined class*

Description

Objects of class "mongo.undefined" are used to represent undefined values in BSON documents. mongo.undefined objects are strings (a character vector) with a single value of "UNDEFINED" mongo.undefined objects have "mongo.undefined" as their class so that [mongo.bson.buffer.append\(\)](#) may detect them and append the appropriate BSON undefined value to a buffer.

These mongo.undefined values may also be present in a list and will be handled properly by [mongo.bson.buffer.append.list\(\)](#) and [mongo.bson.from.list\(\)](#).

See Also

[mongo.undefined.create](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()
undef <- mongo.undefined.create()
mongo.bson.buffer.append(buf, "Undef", undef)
l <- list(u1 = undef, One = 1)
mongo.bson.buffer.append.list(buf, "listWundef", l)
b <- mongo.bson.from.buffer(buf)

# the above will create a mongo.bson object of the following form:
# { "Undef": UNDEFINED, "listWundef" : { "u1" : UNDEFINED, "One" : 1 } }
```

mongo.undefined.create

Create a mongo.undefined object

Description

Create a mongo.undefined object for appending to a buffer with [mongo.bson.buffer.append\(\)](#) or for embedding in a list such that [mongo.bson.buffer.append.list\(\)](#) will properly insert an undefined value into the mongo.bson.buffer object.

Usage

```
mongo.undefined.create()
```

Value

a [mongo.undefined](#) object

See Also

[mongo.undefined](#),
[mongo.bson.buffer.append](#),
[mongo.bson.buffer.append.list](#),
[mongo.bson.buffer](#),
[mongo.bson](#).

Examples

```

buf <- mongo.bson.buffer.create()
undef <- mongo.undefined.create()
mongo.bson.buffer.append(buf, "Undef", undef)
l <- list(u1 = undef, One = 1)
mongo.bson.buffer.append.list(buf, "listWundef", l)
b <- mongo.bson.from.buffer(buf)

# the above will create a mongo.bson object of the following form:
# { "Undef": UNDEFINED, "listWundef" : { "u1" : UNDEFINED, "One" : 1 } }

```

mongo.update

Perform an update on a collection

Description

Perform an update on a collection.

See <http://www.mongodb.org/display/DOCS/Updating>.

Usage

```
mongo.update(mongo, ns, criteria, objNew, flags=0L)
```

Arguments

mongo	(mongo) a mongo connection object.
ns	(string) namespace of the collection to which to update.
criteria	(mongo.bson) The criteria with which to match records that are to be updated. Alternately, criteria may be a list which will be converted to a mongo.bson object by mongo.bson.from.list() .
objNew	(mongo.bson) The replacement object. Alternately, objNew may be a list which will be converted to a mongo.bson object by mongo.bson.from.list() .
flags	(integer vector) A list of optional flags governing the operation: <ul style="list-style-type: none"> • mongo.update.upsert: insert ObjNew into the database if no record matching criteria is found. • mongo.update.multi: update multiple records rather than just the first one matched by criteria. • mongo.update.basic: Perform a basic update.

See Also

[mongo](#),
[mongo.bson](#),
[mongo.insert](#),
[mongo.find](#),
[mongo.find.one](#),
[mongo.remove](#).

Examples

```

mongo <- mongo.create()
if (mongo.is.connected(mongo)) {
  ns <- "test.people"

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "Joe")
  criteria <- mongo.bson.from.buffer(buf)

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.start.object(buf, "$inc")
  mongo.bson.buffer.append(buf, "age", 1L)
  mongo.bson.buffer.finish.object(buf)
  objNew <- mongo.bson.from.buffer(buf)

  # increment the age field of the first record matching name "Joe"
  mongo.update(mongo, ns, criteria, objNew)

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "Jeff")
  criteria <- mongo.bson.from.buffer(buf)

  buf <- mongo.bson.buffer.create()
  mongo.bson.buffer.append(buf, "name", "Jeff")
  mongo.bson.buffer.append(buf, "age", 27L)
  objNew <- mongo.bson.from.buffer(buf)

  # update the entire record to { name: "Jeff", age: 27 }
  # where name equals "Jeff"
  # if such a record exists; otherwise, insert this as a new record
  mongo.update(mongo, ns, criteria, objNew,
               mongo.update.upsert)

  # do a shorthand update:
  mongo.update(mongo, ns, list(name="John"), list(name="John", age=25))
}

```

mongo.update.basic *mongo.update() flag constant for performing a basic update*

Description

Flag to [mongo.update\(\)](#) (4L): Perform a basic update.

Usage

mongo.update.basic

Value

4L

See Also

[mongo.update](#),
[mongo.update.multi](#)
[mongo.update.upsert](#)

mongo.update.multi *mongo.update() flag constant for updating multiple records*

Description

Flag to [mongo.update\(\)](#) (2L): Update multiple records rather than just the first one matched by criteria.

Usage

mongo.update.multi

Value

2L

See Also

[mongo.update](#),
[mongo.update.upsert](#),
[mongo.update.basic](#).

mongo.update.upsert *mongo.update() flag constant for an upsert*

Description

Flag to [mongo.update\(\)](#) (1L): insert ObjNew into the database if no record matching criteria is found.

Usage

mongo.update.upsert

Value

1L

See Also

[mongo.update](#),
[mongo.update.multi](#),
[mongo.update.basic](#).

print.mongo.bson	<i>Display a mongo.bson object</i>
------------------	------------------------------------

Description

Display formatted output of a mongo.bson object.

Output is tabbed (indented to show the nesting level of subobjects and arrays).

This version is an alias of mongo.bson.print() so that print() will properly handle the mongo.bson class.

Usage

```
## S3 method for class 'mongo.bson'  
print(x, ...)
```

Arguments

x	(mongo.bson The object to display.
...	Parameters passed from generic.

Value

The parameter is returned unchanged.

See Also

[mongo.bson.print](#),
[mongo.bson](#).

Examples

```
buf <- mongo.bson.buffer.create()  
mongo.bson.buffer.append(buf, "name", "Fred")  
mongo.bson.buffer.append(buf, "city", "Dayton")  
b <- mongo.bson.from.buffer(buf)  
  
# all display the same thing  
print.mongo.bson(b)  
mongo.bson.print(b)  
print(b)
```

print.mongo.oid	<i>Display a mongo.oid object</i>
-----------------	-----------------------------------

Description

Display formatted output of a [mongo.oid](#) object.

Output is tabbed (indented to show the nesting level of subobjects and arrays).

This version is an alias of [mongo.oid.print\(\)](#) so that `print()` will properly handle the `mongo.oid` class.

Usage

```
## S3 method for class 'mongo.oid'  
print(x, ...)
```

Arguments

x	mongo.oid The object to display.
...	Parameters passed from generic.

Value

The parameter is returned unchanged.

See Also

[mongo.oid.print](#),
[mongo.oid.to.string](#),
[mongo.bson.oid](#),
[mongo.bson](#).

Examples

```
oid <- mongo.oid.create()  
  
# all display the same thing  
print.mongo.oid(oid)  
mongo.oid.print(oid)  
print(oid)
```

Index

- *Topic **package**
 - rmongodb-package, 5
- as.character.mongo.oid, 5, 6, 126–128, 130, 131
- mongo, 5, 6, 7, 8, 67, 68, 70, 74–79, 81, 83–93, 115, 121, 123–126, 131, 133–136, 138, 143, 144
- mongo.add.user, 7, 8
- mongo.authenticate, 7, 8
- mongo.binary.binary, 8, 29
- mongo.binary.function, 9, 29
- mongo.binary.md5, 9, 29
- mongo.binary.old, 10, 29
- mongo.binary.user, 10, 29
- mongo.binary.uuid, 11, 29
- mongo.bson, 6, 9–11, 11, 12, 13, 15–26, 28–50, 52–68, 73, 78, 79, 81, 87, 88, 95, 100, 104, 105, 117, 121, 123, 124, 126–133, 137–144, 146, 147
- mongo.bson.array, 12, 50, 51, 53, 62
- mongo.bson.binary, 12, 50, 51, 53, 62
- mongo.bson.bool, 13, 50, 51, 53, 62
- mongo.bson.buffer, 6, 11, 13, 14–39, 45, 63–66, 126–128, 130–133, 138–143
- mongo.bson.buffer.append, 6, 13, 14, 16–35, 37–39, 45, 63–66, 126–128, 130–133, 137–143
- mongo.bson.buffer.append.bool, 14, 15
- mongo.bson.buffer.append.bson, 14, 16
- mongo.bson.buffer.append.code, 14, 17
- mongo.bson.buffer.append.code.w.scope, 14, 18
- mongo.bson.buffer.append.complex, 14, 19
- mongo.bson.buffer.append.double, 14, 20
- mongo.bson.buffer.append.element, 14, 22
- mongo.bson.buffer.append.int, 14, 23
- mongo.bson.buffer.append.list, 14, 24, 63–66, 126–128, 132, 133, 138–143
- mongo.bson.buffer.append.long, 14, 25
- mongo.bson.buffer.append.null, 14, 26
- mongo.bson.buffer.append.object, 14, 15, 19, 21, 23, 25, 27, 29, 31, 53, 60, 62
- mongo.bson.buffer.append.oid, 6, 14, 28, 126–128, 130, 131
- mongo.bson.buffer.append.raw, 9–11, 14, 29, 53, 62
- mongo.bson.buffer.append.regex, 14, 30, 30, 132, 133
- mongo.bson.buffer.append.string, 14, 31
- mongo.bson.buffer.append.symbol, 14, 32
- mongo.bson.buffer.append.time, 14, 33, 34, 141
- mongo.bson.buffer.append.timestamp, 14, 34, 141
- mongo.bson.buffer.append.undefined, 14, 35
- mongo.bson.buffer.create, 36, 137
- mongo.bson.buffer.finish.object, 13, 36, 38, 39
- mongo.bson.buffer.size, 13, 37
- mongo.bson.buffer.start.array, 13, 37, 38, 38, 39
- mongo.bson.buffer.start.object, 13, 36, 37, 39
- mongo.bson.code, 40, 50, 52, 53, 62
- mongo.bson.code.w.scope, 40, 50, 52, 53, 62
- mongo.bson.date, 41, 50, 51, 53, 62
- mongo.bson.dbref, 41, 50, 52, 53, 62
- mongo.bson.destroy, 11, 42, 45, 46
- mongo.bson.double, 42, 50, 51, 53, 61
- mongo.bson.empty, 11, 43
- mongo.bson.eoo, 43, 50, 51, 53
- mongo.bson.find, 22, 44, 47–50, 52, 53
- mongo.bson.from.buffer, 11, 13, 37, 42, 45, 45, 137
- mongo.bson.from.list, 11, 17, 19, 22, 42, 45, 59, 60, 63, 65, 67, 68, 78, 81, 117, 121, 123, 126, 132, 133, 138, 140, 142, 143
- mongo.bson.int, 46, 50, 52, 53, 62
- mongo.bson.iterator, 11–13, 22, 44, 47, 47, 48–53

- mongo.bson.iterator.create, [47](#), [47](#), [49](#), [50](#), [52](#), [53](#)
- mongo.bson.iterator.key, [47](#), [48](#), [48](#), [50](#), [52](#), [53](#)
- mongo.bson.iterator.next, [12](#), [13](#), [40–44](#), [46–49](#), [49](#), [52–59](#), [61](#)
- mongo.bson.iterator.type, [12](#), [13](#), [40–44](#), [46](#), [48–50](#), [51](#), [53–59](#), [61](#)
- mongo.bson.iterator.value, [27](#), [28](#), [41](#), [44](#), [47–50](#), [52](#), [52](#), [62](#)
- mongo.bson.long, [50](#), [52](#), [53](#), [54](#), [62](#)
- mongo.bson.null, [50](#), [51](#), [53](#), [54](#), [62](#)
- mongo.bson.object, [50](#), [51](#), [53](#), [55](#), [62](#)
- mongo.bson.oid, [50](#), [51](#), [53](#), [55](#), [62](#), [129](#), [147](#)
- mongo.bson.print, [56](#), [146](#)
- mongo.bson.regex, [50](#), [51](#), [53](#), [56](#), [62](#)
- mongo.bson.size, [57](#)
- mongo.bson.string, [50](#), [51](#), [53](#), [58](#), [61](#)
- mongo.bson.symbol, [50](#), [52](#), [53](#), [58](#), [62](#)
- mongo.bson.timestamp, [50](#), [52](#), [53](#), [59](#), [62](#)
- mongo.bson.to.list, [11](#), [41](#), [45](#), [46](#), [59](#)
- mongo.bson.undefined, [50](#), [51](#), [53](#), [61](#), [62](#)
- mongo.bson.value, [27](#), [28](#), [60](#), [61](#)
- mongo.code, [17](#), [18](#), [53](#), [62](#), [63](#), [64](#)
- mongo.code.create, [18](#), [63](#), [64](#)
- mongo.code.w.scope, [18](#), [19](#), [53](#), [62](#), [65](#), [66](#)
- mongo.code.w.scope.create, [19](#), [65](#), [65](#)
- mongo.command, [66](#), [75–77](#), [84](#), [134](#), [138](#)
- mongo.count, [67](#), [68](#), [76](#), [77](#), [134](#), [138](#)
- mongo.create, [6–8](#), [69](#), [75](#), [85](#), [86](#), [89](#), [92](#), [93](#), [125](#), [126](#), [131](#), [136](#)
- mongo.cursor, [70](#), [71–73](#), [78](#), [98](#)
- mongo.cursor.destroy, [70](#), [71](#), [72](#), [73](#)
- mongo.cursor.next, [70–72](#), [72](#), [73](#), [78](#)
- mongo.cursor.value, [70–73](#), [73](#), [78](#), [98](#)
- mongo.destroy, [74](#)
- mongo.disconnect, [70](#), [74](#), [74](#), [131](#)
- mongo.distinct, [75](#)
- mongo.drop, [6](#), [67](#), [76](#), [77](#), [84](#), [134](#), [138](#)
- mongo.drop.database, [6](#), [67](#), [76](#), [77](#), [84](#), [134](#), [138](#)
- mongo.find, [6](#), [68](#), [70–73](#), [75](#), [77](#), [79–83](#), [90](#), [91](#), [121](#), [123](#), [124](#), [133](#), [144](#)
- mongo.find.await.data, [78](#), [79](#)
- mongo.find.cursor.tailable, [78](#), [79](#)
- mongo.find.exhaust, [78](#), [80](#)
- mongo.find.no.cursor.timeout, [78](#), [80](#)
- mongo.find.one, [6](#), [11](#), [68](#), [78](#), [81](#), [90](#), [91](#), [121](#), [123](#), [124](#), [133](#), [144](#)
- mongo.find.oplog.replay, [78](#), [82](#)
- mongo.find.partial.results, [78](#), [83](#)
- mongo.find.slave.ok, [78](#), [83](#)
- mongo.get.database.collections, [6](#), [83](#), [84](#)
- mongo.get.databases, [6](#), [84](#), [84](#)
- mongo.get.err, [67](#), [70](#), [75](#), [85](#), [108](#)
- mongo.get.hosts, [70](#), [86](#)
- mongo.get.last.err, [86](#), [88](#), [90](#), [91](#), [123](#), [124](#), [135](#), [138](#)
- mongo.get.prev.err, [87](#), [88](#), [90](#), [91](#), [135](#)
- mongo.get.primary, [70](#), [89](#)
- mongo.get.server.err, [78](#), [81](#), [86–88](#), [90](#), [91](#), [121](#), [135](#)
- mongo.get.server.err.string, [78](#), [81](#), [86–88](#), [90](#), [91](#), [121](#), [135](#)
- mongo.get.socket, [70](#), [92](#)
- mongo.get.timeout, [70](#), [92](#), [136](#)
- mongo.gridfile, [93](#), [94–109](#), [114](#), [116](#), [117](#)
- mongo.gridfile.destroy, [94](#)
- mongo.gridfile.get.chunk, [93](#), [95](#), [96](#), [97](#), [99–109](#)
- mongo.gridfile.get.chunk.count, [93](#), [95](#), [96](#), [97](#), [98](#), [100–109](#)
- mongo.gridfile.get.chunk.size, [93](#), [95](#), [96](#), [97](#), [98](#), [100–109](#)
- mongo.gridfile.get.chunks, [93](#), [95–97](#), [98](#), [100–109](#)
- mongo.gridfile.get.content.type, [93](#), [95–98](#), [99](#), [101–109](#)
- mongo.gridfile.get.descriptor, [93](#), [95–98](#), [100](#), [100](#), [102–109](#)
- mongo.gridfile.get.filename, [93](#), [95–98](#), [100](#), [101](#), [101](#), [103–109](#), [117](#)
- mongo.gridfile.get.length, [93](#), [95–98](#), [100–102](#), [102](#), [104–109](#)
- mongo.gridfile.get.md5, [93](#), [95–98](#), [100–103](#), [103](#), [105–109](#)
- mongo.gridfile.get.metadata, [93](#), [95–97](#), [99–104](#), [104](#), [106–109](#)
- mongo.gridfile.get.upload.date, [93](#), [95–98](#), [100–105](#), [105](#), [107–109](#)
- mongo.gridfile.pipe, [93](#), [95–97](#), [99–106](#), [106](#), [108](#), [109](#)
- mongo.gridfile.read, [93](#), [95–97](#), [99–107](#), [107](#), [109](#)
- mongo.gridfile.seek, [93](#), [95–97](#), [99–108](#), [109](#)
- mongo.gridfile.writer, [110](#), [111–114](#), [118](#)
- mongo.gridfile.writer.create, [110](#), [111](#), [112–115](#)
- mongo.gridfile.writer.finish, [110](#), [111](#), [112](#), [113](#)
- mongo.gridfile.writer.write, [110–112](#), [113](#)

- mongo.gridfs, [6](#), [93–98](#), [100–113](#), [114](#),
[115–120](#), [137](#)
- mongo.gridfs.create, [111](#), [115](#), [116](#), [119](#),
[120](#)
- mongo.gridfs.destroy, [114](#), [115](#), [116](#)
- mongo.gridfs.find, [93–98](#), [100–109](#), [114](#),
[115](#), [116](#)
- mongo.gridfs.remove.file, [114](#), [115](#), [117](#),
[119](#), [120](#)
- mongo.gridfs.store, [113–115](#), [118](#), [118](#)
- mongo.gridfs.store.file, [114–116](#), [118](#),
[119](#)
- mongo.index.background, [120](#), [121](#)
- mongo.index.create, [78](#), [81](#), [90](#), [91](#), [120](#),
[120](#), [122](#)
- mongo.index.drop.dups, [121](#), [122](#)
- mongo.index.sparse, [121](#), [122](#)
- mongo.index.unique, [121](#), [122](#)
- mongo.insert, [6](#), [68](#), [78](#), [81](#), [121](#), [123](#), [124](#),
[133](#), [144](#)
- mongo.insert.batch, [123](#), [124](#)
- mongo.is.connected, [6](#), [70](#), [74](#), [75](#), [125](#)
- mongo.is.master, [125](#)
- mongo.oid, [5](#), [6](#), [28](#), [53](#), [62](#), [126](#), [126](#),
[127–131](#), [147](#)
- mongo.oid.create, [6](#), [29](#), [127](#), [128](#), [130](#), [131](#)
- mongo.oid.from.string, [5](#), [126](#), [127](#), [128](#),
[130](#), [131](#)
- mongo.oid.print, [129](#), [129](#), [147](#)
- mongo.oid.time, [126](#), [129](#)
- mongo.oid.to.string, [5](#), [6](#), [126–130](#), [130](#),
[147](#)
- mongo.reconnect, [70](#), [74](#), [75](#), [131](#)
- mongo.regex, [30](#), [53](#), [62](#), [132](#), [132](#), [133](#)
- mongo.regex.create, [30](#), [132](#), [132](#)
- mongo.remove, [6](#), [68](#), [79](#), [81](#), [121](#), [123](#), [124](#),
[133](#), [144](#)
- mongo.rename, [67](#), [76](#), [77](#), [84](#), [134](#), [138](#)
- mongo.reset.err, [135](#)
- mongo.set.timeout, [70](#), [93](#), [136](#)
- mongo.shorthand, [137](#)
- mongo.simple.command, [67](#), [75](#), [137](#)
- mongo.symbol, [32](#), [53](#), [62](#), [138](#), [139](#)
- mongo.symbol.create, [32](#), [138](#), [139](#)
- mongo.timestamp, [33](#), [34](#), [53](#), [62](#), [140](#), [141](#)
- mongo.timestamp.create, [33](#), [34](#), [140](#), [141](#)
- mongo.undefined, [35](#), [53](#), [62](#), [142](#), [142](#), [143](#)
- mongo.undefined.create, [35](#), [142](#), [142](#)
- mongo.update, [6](#), [68](#), [78](#), [81](#), [121](#), [123](#), [124](#),
[133](#), [143](#), [144–146](#)
- mongo.update.basic, [143](#), [144](#), [145](#), [146](#)
- mongo.update.multi, [143](#), [145](#), [145](#), [146](#)
- mongo.update.upsert, [143](#), [145](#), [145](#)
- print.mongo.bson, [146](#)
- print.mongo.oid, [129](#), [147](#)
- rmongodb (rmongodb-package), [5](#)
- rmongodb-package, [5](#)